

A Review On Braking System In Automobiles

PRASANNA VENKATESH.M¹, NAVEEN KUMAR.M²,
SARAVANAN.R³, SHARAN.D.R⁴, Dr.MANIVEL MURALIDARAN.V⁵

¹*Department of Mechanical Engineering, Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India.*

²*Department of Mechanical Engineering, Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India.*

³*Department of Mechanical Engineering, Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India.*

⁴*Department of Mechanical Engineering, Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India.*

⁵*Assistant Professor, Department of Mechanical Engineering, Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India.*

ABSTRACT

The brake system in a car is the most critical system in the vehicle. There will be a crash if the brake fails, and people may be injured or even killed. All automobile brakes are friction brakes. When drivers use brakes, the control unit pushes brake shoes, or pads, against the spinning brake drum or disks at wheel. Friction between the shoes and the drums or discs slows or stops the wheel, allowing the vehicle to be slowed or stopped. The main objective of the paper is, to review the Braking system in automobiles and to improve mechanical and electrical properties in it, The aim of this paper is to provide people with more knowledge about automotive brake systems and to look into some simple maintenance techniques. To ensure personal protection, the driver should have a basic understanding of the brake system and check the brake on a regular basis to ensure it is in good working order. In addition, this article depicts the current business situation as well as some predictions for the potential growth of the brake market.

KEYWORDS:

ABS, Anti Lock Brakes, Anti Lock Braking system, Safety, Slip Factor, Advance Braking System, Vehicle Stability Control, Braking system.

INTRODUCTION

Most people nowadays understand the importance and requirement of having brakes in their cars. This study introduces the basic principles, composition, and function of automotive braking systems in order to help drivers understand them. However, there is more pollution as a result of using the brake. Noise pollution, air pollution, and resource waste are few examples. We should not overuse the brakes in order to save resources and reduce emissions. We all know that if the brakes fail, the consequences are catastrophic. Drivers must inspect and repair damaged or badly deteriorated brake components on a regular basis to ensure that the brakes are in good working order.

ANTI-LOCK BRAKING SYSTEM STUDIES

Kartik Bhasin (2018) With the advancement in technology, the security problems that are associated with vehicles and automation have been significantly reduced; one such technology is the Anti-lock braking system, also known as ABS. The number of accidents is reduced as a result of the use of this technology. This form, however, will no longer be effective in obstructing street conditions. To overcome this limitation, the vehicle industry developed new technologies such as EBF, ECS, and TCS[1].

Dineshkumar C (2017) The signal from the IR sensor is routed through the control unit to the stepper motor, which activates the braking mechanism to control the situation. The vehicle's speed is sensed by the speed sensor, and the stepper motor is triggered based on the vehicle's speed. Programming in the control unit activates the braking. The stepper motor drags the brake cord, which is attached to both the front and back wheels, at different speeds. Infrared sensor, stepper motor, control unit, and speed sensor are some of the terms used in this paper[2].

Sagar B. Pawar *et al* (2018) The system will be installed on a four-wheeler vehicle and will be based on an intelligent electronically controlled automatic bumper activation system called "Automatic Braking with Pneumatic Bumper System Using Proximity Sensor." The automatic braking system and the pneumatic bumper system are the two mechanisms that make up this system in general. The Infrared Sensor is used in automatic braking (IR) The sensor then sends a signal to the engine's relay, which causes the engine to shut down. During the operation of the Automatic Braking System, the vehicle's driver will also attempt to stop the vehicle by pressing the brake pedal.[3].

Towoju.O.A (2019) This study is being conducted to mathematically evaluate the impacts of multiple braking structures on temperature growth that could relate to brake fade in a braking

system for a 2200 kg car travelling at 40 m/s and whose speed is supposed to be decreased to 4 m/s upon 5 seconds with two matches of the brake for a seconds' duration.[4].

Irshad A. Zariye *et al* (2016) Electronic circuits such as sensor, relay, control system, microcontroller, signal transmitter and signal receiver, and Peripheral Interface Circuit will be used in the speed control and automatic braking system (PIC).The strategic management of a collision involving cars was the philosophy behind the implementation of the speed control and automatic braking mechanism.We'll use an ultrasonic sensor to identify the barrier and an infrared sensor to activate the automatic braking system. The device would be designed to keep the driver and passengers safe inside the car[5].

R.Sangeeth Kumar *et al* (2007) When the vehicle's speed exceeds a predetermined safety distance, the microcontroller-based device activates an actuating function to reduce the vehicle's speed to a reasonable level, reducing the likelihood of an accident. If a crash is unavoidable, an Automatic Braking Mechanism (ABS) incorporates Advanced Driver Assist systems with Electronic Stability Control to delay the car and theoretically mitigate the severity of the effect. The advantages of AEBS over traditional braking systems are discussed, as well as potential future advances in this area[6].

Yair wiseman (2018) Anti-lock Braking System (ABS) is a vehicle control system designed to prevent vehicle wheels from locking up during emergency braking. The vehicle wheels can become locked, resulting in poor steering capability, increased stopping distance, and substantial tire wear.By unlocking the wheels, a successful Anti-lock Braking System device will solve these issues[7].

Ayman A *et al* (2011) For ABS systems, a variety of control methods have been developed. Theoretically, these approaches vary, as does their success under changing road conditions. The current study is part of a larger project called "Intelligent Antilock Brake System Design for Saudi Arabian Road Surfaces." The techniques used in the design of ABS systems are discussed in this article.This highlight the most pressing issues and review recent advancements in their management techniques. ABS can make use of intelligent control mechanisms such as fuzzy control[8].

Irene Isaksson-Hellman *et al* (2006) Rear-end crashes account for a significant portion of all road fatalities involving passenger vehicles, and the majority of them happen at low speeds. Auto Brake is a technology that has recently been included in a number of passenger car models.City Safety is a system that automatically brakes the car to help the driver prevent, and in some cases stop, rear-end crashes at low speeds[9].

Ayman *et al* (2011) For ABS systems, a variety of control methods have been developed. Theoretically, the approaches vary, as does their success under changing road conditions. Fuzzy control schemes, for example, can be used in ABS control to mimic the contextual dimensions of human intelligence, with many benefits such as robustness, universal approximation theorem, and rule-based algorithms[10].

Astrid Linder *et al* (2007) Statistical assessment, testing, and driver behavior were all addressed. According to the literature review, mathematical approaches focused on odds ratios were used in particular to test the traffic safety impact. Several research methods are listed in this study to assess the impact of ESC in physical testing. Surveys of vehicle owners have been used to estimate the consequences of driver behavior. Experiments in the field and in a simulator have also been recorded in the literature[11].

BRAKING PADS REVIEW

Augsburg K *et al* (2008) The factors influencing hysteresis pressure losses in a hydraulic brake system are investigated experimentally in this paper. The brake pedal stroke velocity, the distances between the brake pads and the brake disc, and the brake device configuration are all being investigated[12].

Akshay Kumar S *et al* (2014) A prototype model is fabricated and studied in this research work with the aim of improving the braking system in automobiles. The electromagnetic brake is clearly an essential addition to the safe braking of heavy vehicles. Its aim is to prevent road accidents by reducing brake failure. It also lowers the cost of braking system repair. Its aim is to prevent road accidents by reducing brake failure. It also lowers the cost of braking system repair[13].

Rajan Parmar *et al* (2021) The majority of braking systems use friction forces to convert a moving body's kinetic energy into heat, which is then dissipated by the braking pads. As friction-type braking systems are overused, the temperature of the braking pads rises, decreasing the system's effectiveness. The eddy-current is formed when a magnet and a metal (or alloy) conductor move in opposite directions[14].

Likun Xia *et al* (2014) For the AEB system, this study provides a car detection method employing a single camera. Background subtraction, thresholding, and inverted U-shape back wheel detection are the three essential processes of the approach[15].

Jonathan I Miller *et al* (2012) When compared to other vehicles, heavy freight vehicles have poor braking performance in emergency situations. By installing high-bandwidth, binary-actuated valves directly on the brake chambers, conventional brake actuators are improved. Furthermore, air usage during an anti-lock brake stop on a low friction, smooth surface determines the overall air reservoir capacity necessary on a heavy goods vehicle. As a result, it shows the potential reduction in reservoir size that the new system could achieve[16].

Sonya A *et al* (2019) The conventional braking system never prevents a collision in a critical circumstance involving abrupt braking, and the car is more likely to collide. Today, autonomous braking systems serve an important role in preventing accidents, but they are only found in high-end vehicles. The proposed concept and system can be used in low-end vehicles to minimise mortality rates by connecting a mechanical actuator to the brake pedal and compressing it if the IR sensor detects an item[17].

Krunal Prajapati *et al* (2017) The electromagnetic braking system is employed in LMV and HMV vehicles such as jeeps, buses, cars, trucks, trains, and motorcycles. Electromagnetic brakes are sometimes known as electro-mechanical brakes. To utilise in the future, highly manufactured accidents This braking mechanism is designed to prevent accidents. In electricity, the power source is utilised. The magnetic field in the armature coil is created by the electric power given to the magnetic coil, which attracts the electromagnet aluminium disc. To use the brakes and bring the road wheel and vehicle to a complete stop[18].

Shubham Narang *et al* (2015) Accidents are becoming more common these days, thus safety has become a top focus. One of the causes of accidents is improper brake use. The goal of the project is to increase the brake safety parameters. Sudden recognition of any object in front of the driver causes panic, and in this scenario, normal drivers fail to use brakes properly, resulting in an accident. By taking the driver's reaction time into consideration, we will strive to aid the driver in avoiding accidents and thereby increasing safety[19].

Hitesh Kumar S P, Jayanth H (2002) Vehicles are a vital form of transportation for people in today's society, and car brakes are an essential component that can save or kill lives. So, using a Microcontroller and ultrasonic sensors, we created the intelligent reverse braking system. This ultrasonic sensor detects obstacles and immediately brakes, preventing accidents and saving the car's occupants' lives[20].

Regenerative and Electromagnetic braking system

HE Ren *et al* (2003) The principle of automotive regenerative braking energy is explained. There are three different types of regenerative braking systems. This type of regenerative braking system has a number of benefits, including recuperating braking energy,

generating electricity, starting the engine, and helping acceleration. When driving in the city, you can save anywhere from 10% to 30% on gas[21].

Gopal P *et al* (2014) The author exclaims about One of the most important considerations for a race car, especially a solar electric car, is weight reduction. Instead of employing a large hat type disc rotor, it was chosen to use the disc rotor and callipers from a bike to reduce the weight of the brake system. Calculations and thermal analyses prove that utilising a bike's rotor is safe [22].

Shaikh Mohd Yousuf *et al* (2015) The author explains about safety. One can prevent many road accidents by employing intelligent braking systems. For example, if someone is driving a car without paying attention and a person or an animal suddenly appears in front of the vehicle, the photo-electric sensor detects the object in front of the car and sends a signal to the relay, which then opens or closes the solenoid wall to apply brakes depending to the situation[23].

Ravi Gupta *et al* (2017) The author explains about a vacuum pump, is used to create vacuum in the brake pipe. This vacuum reservoir is used by the braking cylinder to apply the brakes. The vacuum-assisted hydraulic braking system in light vehicles uses vacuum created by the engine to minimise the driver's exertion on the foot pedal[24].

Shubham Narang *et al* (2018) The goal of the project is to increase the brake safety parameters. Sudden detection of any obstacle next to the driver causes panic, and in this scenario, regular drivers fail to use brakes properly, resulting in an accident. By taking the driver's reaction rate into consideration, we will strive to aid the driver in avoiding accidents and thereby increasing safety[25].

Shugen Hu, Yucheng Liu (2017) This model was built to examine the effects of braking variables such as disc rotating speed and braking tension on brake noise. The complicated eigenvectors of the system were also taken into account when determining the brake model's longevity under varied braking conditions. The accelerating linear static charts and phases charts were created by solving the program's formulas.[26].

Naresh Babu AR *et al* (2014) The car currently includes an alert system to keep a safe gap between moving vehicles. When the car gets too close to an object, the alarm goes off, alerting the driver to the presence of the object. Our goal is to create a system that can prevent accidents when reversing heavy-duty vehicles such as trucks, buses, and other vehicles[27].

Megan Bayly *et al* (2007) ITS are transportation-related technologies that can improve mobility, efficiency, and safety, among other things. The potential for ITS to improve road user safety has been extensively investigated, and this study summarises what is currently known about the effectiveness of safety-relevant ITS[28].

SHIRISH VASANTRAO GADEWAR, A. M. JAIN (2017) Conversion of electrical energy to mechanical energy is done by rotating electrical machines. The electric motors in EVs and HEVs can be controlled to operate as generators to Convert the kinetic or potential energy of the vehicle mass into electric energy that can be stored in the energy storage and Reused[29].

Yogesh Abhale,Prateek Nigam(2015) Conversion of electrical energy to mechanical energy is done by rotating electrical machines. The electric motors in EVs and HEVs can be controlled to operate as generators to Convert the kinetic or potential energy of the vehicle mass into electric energy that can be stored in the energy storage and Reused[30].

Liang Chu *et al* (2011)The development of a new integrated braking control unit is being investigated. The system's effects, such as energy recovery and braking performance, are validated by modelling findings based on the ADVISOR and the HIL test bench[31].

Zuowu Ding *et al* (2007) The research investigates an electric car's regenerative braking. Matlab is used to simulate the vehicle performance, speed, and the total pressure of the hydraulic aggregate. Because the hydraulic capacitor can absorb and store every one of the braking energy, the electric car engine can start with a minimal current[32].

Rakesh Chandmal Sharma *et al* (2015) The numerous braking mechanisms used in vehicular traffic are discussed in this study. This research also takes into account train electrodynamic and electromechanical braking, which is very important in high-speed trains. This research provides a method for calculating the stopping distance of a railway vehicle[33].

Luca Pugi *et al* (2019) Regenerative braking has an impact on various areas of electric vehicle quality and implementation. Modern electric drives have improved performance, which can be used to increase opportunity efficiency, stability, and environmental impact. The braking system is used to not only stop the vehicle but also to activate a number of onboard safety features[34].

R. Vignesh *et al* (2020) Regenerative braking is a technique for driving a vehicle more efficiently and effectively. For deceleration, electric ATV vehicles employ a mechanical brake to increase the wheel's roughness. In terms of energy conservation, the mechanical brake wastes a large amount of energy, whereas the kinetic energy of an electric vehicle is converted into thermal energy[35].

Qiping Chena *et al* (2018) This study examines nonlinear friction caused by the deceleration mechanism in a motor-driven EHB system. In addition, depending on the opening and closing properties of a limit switch, this research develops a fuzzy-PI maintained for the EHB system's cylinder hydrostatic fluid[36].

Shriram Pawar *et al* (2020) Instead of using air brakes, the proposed model uses exhaust gas to actuate the brake lever. The hydraulic actuator and brake lever are both operated by the combustion compressed gas. To charge the air tank, the system uses a non-return valve. This research can be expanded to include both diesel and gasoline engines[37].

De Gruyter (2020) The study examines the options for assessing braking conditions during the introduction of a braking system during an inspection of trucks under Slovak Republic settings. The braking effectiveness of the vehicle is assessed using a roller brake tester to measure braking forces. The findings of practical testing of braking efficiency measurement of a cat truck are discussed in this study. The outcomes of practical lessons of braking quality evaluation of a truck of categorization presented in this study[38].

Jianqiang Gong *et al* (2014) An automobile braking system is used to calibrate the model, and the components of the braking are compared and studied. The enhanced ABC categorization approach reduces the proportion of major and main components, according to the findings. This strategy can increase the efficiency of maintenance operations by focusing on the most crucial components and lowering administrative costs for businesses[39].

Xiangmo Zhao *et al* (2018) The principal component analysis (PCA) is used. The back-propagation (BP) neural network classifier is used to automatically evaluate ABS using the processed PCA data as an input. Experiments showed that the novel method accurately simulates a variety of road braking circumstances[40].

Susan Rebecca Cikanek, Kathleen Ellen Bailey (2001) This research outlines regenerative braking for a paralleled hybrid vehicle that generates regenerative power based on the vehicle variables, resulting in improved performance, economy, and durability at a reasonable cost.[41].

Yimin Gao, Mehrdad Ehsani (2001) has determined the amount of braking energy that can be recovered in a typical driving cycle. The brake system's anti lock performance was tested. The findings indicate that a large quantity of energy can be recovered, and the vehicle's braking performance is flawless[42].

Tarun Kumar Bera *et al* (2011) This paper investigates an antilock braking system that employs a on-off management method to keep wheel slip within a predetermined range. The vehicle dynamics model must be included into the controller design. Only steady normal loading on the wheels is considered in a single wheel or bicycle vehicle model[43].

Yimin Gao *et al* (2007) There are now two hybrid braking systems on the market. The parallel hybrid braking system, for example, has a straightforward structure and control. The other is a hybrid braking system that is entirely controlled. For this system, two standard control strategies have been established. The first focuses on ideal braking performance, while the second focuses on optimal braking energy recovery[44].

Xiaohong Nian *et al* (2014) The simulation findings are presented in this work by assessing the battery state of charge, braking force, and dc bus current in the MATLAB and Simulink environments. The simulation findings show that with fuzzy logic and PID control, EVs may achieve regenerative braking and extend their driving range while maintaining braking quality[45].

Georg F Mauer *et al* (1995) The design requirements, as well as the control system's decision and rule structure, are described in this study. The simulation results show how the system performs on various types of roads and in rapidly changing road conditions[46].

Ali Belhocine *et al* (2020) The linked thermomechanical model's resolution allows us to see additional key findings from this study, such as the disc deformations and corresponding Von Mises stresses, as well as the contact pressure distribution on the brake pads. A number of inferences can be drawn based on the findings of this inquiry[47].

MK Yoong *et al* (2010) The working concept and brake controller for regenerative braking have been investigated in this research in order to improve the efficiency and realise energy savings in electric vehicles[48].

Dong Peng *et al* (2008) Once emergency brakes are required, the regenerative braking system works in tandem to ensure great regenerative image and better steering, even on roads with low adhesion coefficient. The experiment and simulation show that the proposed braking control approach is stable and effective[49].

Zhongshi Zhang *et al* (2017) On the suggested test bench, the loading and motion of the automobile EBS during different braking situations may be accurately replicated, and the dependable test results allow the EBS to be investigated safely, inexpensively, and quickly in the field[50].

CONCLUSION

Most individuals nowadays understand the importance and necessity of having brakes on their vehicles. Aside from automobiles, the brake system is utilised in a variety of applications, including aeroplanes and bicycles. In the future, brake system technology will improve. As a result, it is beneficial for drivers to understand the basic principles, composition, and structure of an automotive brake system. Different brakes and brake pads each have their own set of benefits and drawbacks. When drivers select these components, they must consider the real driving conditions and select the most appropriate components that are a good match. New products will be developed in the future to reduce wear particles and noise. Perhaps the electric car will take up a larger share of the auto industry.

REFERENCES

1. Kartik Bhasin . HMR Institute of Technology & Management, Hamidpur, New Delhi-110036. International Journal for Research in Applied Science & Engineering Technology (IJRASET) e-ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.177 Volume : 07 Issue : 08/Aug 2019.
2. Dineshkumar C., Subramanian M . Automotive braking system for passenger to enhance safety. International Journal of Pure and Applied Mathematics Volume : 117 , 1011-1020 ISSN: 1311-8080, Issue : 20/Nov 2017.
3. Nilesh D. Patil., Sagar B. Pawar., Suraj N. Warke., Akshay D. Ughade., Vaibhav G. Jape . Automatic Braking System with Pneumatic Bumper by using Proximity Sensors . International Journal of Innovative Science and Research Technology . ISSN No:-2456-2165, Volume 3, Issue 3/March 2018.

4. Towoju O. A. Braking Pattern Impact on Brake Fade in an Automobile Brake System . Adeleke University, P.M.B. 250, Ede-Osogbo Rd., Ede, Osun State, Nigeria. Volume 6, Issue 2 (2019) .
5. Gopal P. Gawande., Shruti V. Gavhale., Irshad A. Zariye., Sagar P. Rajpurkar . Speed Control and Automatic Braking System . International Journal of Engineering Research & Technology (IJERT) . ISSN: 2278-0181, Vol. 3 Issue: 02/February 2014.
6. R. Sangeethkumar., R. SivaShankar., Mohamed Marzook., Manova Peniel., Marshal Raj., Karunakaran . Anti-lock and Automatic Brake System . VOL:9 ISSUE : 01 2019.
7. Yair Wiseman . Efficient Embedded Computing Component for Anti-Lock Braking System . International Journal of Control and Automation . Vol. 11: Issue : 02/Nov 2018.
8. Ayman A. Aly., El-Shafei Zeidan., Ahmed Hamed., Farhan Salem . An Antilock-Braking Systems (ABS) Control . Department of Mechanical Engineering . Issue : 25/May 2011.
9. Isaksson-Hellman I., Lindman M . The effect of a low-speed automatic brake system estimated from real life data. In Annals of Advances in Automotive Medicine . (Vol. 56, pp. 231–240).
10. Ayman A. Aly., El-Shafei Zeidan., Ahmed Hamed., Farhan Salem . An Antilock-Braking Systems (ABS) Control . Department of Mechanical Engineering . Issue : 25/May 2011.
11. Astrid Linder., Tania Dukic., Mattias Hjort., Ylva Matstoms., Selina Mårdh., Jerker Sundström., Anna Vadeby., Mats Wiklund & Joakim Östlund . Methods for the evaluation of traffic safety effects of Antilock Braking System (ABS) and Electronic Stability Control (ESC) . ISSN: 0347-6030 , Project code:12056.
12. D V Treziak., S V Kliuzovich., K Augsburg., J Sendler., and V G Ivanov . Research in hydraulic brake components and operational factors influencing the hysteresis losses . DOI: 10.1243/09544070JAUTO673 Vol. 222.
13. Aksyakumar S Puttewar., Nagnath U Kakde., Huzaiifa A Fidvi., Bhushan Nandeshwar . Enhancement of braking system in automobile using Electromagnetic Braking . IOSR Journal of Mechanical and Civil Engineering 11, International Conference on Advances in Engineering & Technology – 2014 (ICAET-2014).

14. Yash Gandhi., Dipam Modh., Nyee Kishan., Rajan Parmar., Nihar Panchal . Eddy Current and Electromagnetic Brake . International Journal of Engineering and Research Technology (IJERT) ISSN (Online) : 2278-0181, Volume :10 , Issue : 01.
15. Yash Gandhi., Dipam Modh., Nyee Kishan., Rajan Parmar., Nihar Panchal . Eddy Current and Electromagnetic Brake . International Journal of Engineering and Research Technology (IJERT) ISSN (Online) : 2278-0181, Volume :10 , Issue : 01.
16. Jonathan I Miller., Leon M Henderson., David Cebon . Combined emergency braking and turning of articulated heavy vehicles . VOL. 55, NO. 5, 725–749 .
17. Dineshkumar C., Sonya A., Roshan D . Automatic Emergency Braking System using Hydraulic Actuator for Preventing Road Accidents. International Journal of Engineering and Advanced Technology (IJEAT) . ISSN: 2249 – 8958 , Volume-8 , Issue-6/August 2019.
18. Krunal Prajapati., Rahul Vibhandik., Devendrasinh Baria., Yash Patel . Electromagnetic Braking System .International Journal of Scientific Research in Engineering (IJSRE) . Vol :1, Issue :03/March/2017.
19. Shubham Narang., Rishabh Sharma . Active And Emergency Braking System . Department of Mechanical Engineering , International Journal of Research in Engineering and Applied Sciences , Volume : 5, Issue : 12/December 2015.
20. Hitesh Kumar S P., Jayanth H . Intelligent Reverse Braking System . International Journal for Research in Applied Science & Engineering Technology (IJRASET) . ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.177, Volume : 7 , Issue : 08/July 2019.
21. HE Ren., Study on Methods of Regenerative Braking Energy of Automobile . Journal of Jiangsu University (National Science Edition) Issue : 6 /2016.
22. Gopal P., Kush Soni., Gaurang Vara., Gaurang Vara., Harshil Patel . Design and Analysis of braking System for ISI ESVC . International Journal of Applied Engineering Research . Volume 13 , (Issue 10).
23. Shaikh Mohd Yousuf ., Aniket Dhawale., Md Abrar Ul Haque., Praful Longadge., Manish Kathane., Ashwin Kumar Padole., Prof. Sandeep Ramteke Design and fabrication

- of intelligence braking system . International Research Journal of Modernization in Engineering Technology and Science. Volume:02 Issue:07/July -2020.
24. Ravi Gupta., Deepak Kumar Bharti., Pravin Pune., Nikhil Kumbharde., Prof. Londhe V.D . Vacuum braking system . Vol-3 , Issue-2 2017.
25. Shubham Narang., Rishabh Sharma . Active And Emergency Braking System . Department of Mechanical Engineering , International Journal of Research in Engineering and Applied Sciences , Volume : 5, Issue : 12/December 2015.
26. Shugen Hu and Yucheng Liu . Disc Brake Vibration Model Based on Stribeck Effect and Its Characteristics under Different Braking Conditions . Volume 2017 |Article ID 6023809 |.
27. Naresh Babu AR., Aadithan P., Paranthaman., Pasupathy S . Sensor Assisted Reverse Braking System . B.E Automobile Engineering, Rajalakshmi Engineering College, Thandalam, Chennai-602105 .
28. Megan Bayly., Brian Fildes., Michael Regan., Kristie Young . Review of crash effectiveness of Intelligent Transport Systems. Project No. 027763 – TRACE , Link :<https://www.researchgate.net/publication/265294780>.
29. Shirish Vasantrao., Gadewar . Breaking System In Motors . International Journal of Industrial Electronics and Electrical Engineering , ISSN(p): 2347-6982, ISSN(e): 2349-204X Volume-5, Issue-8/Aug 2017.
30. Yogesh Abhale., Prateek Nigam . Regenerative Braking Methodology in Electric Vehicle. International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (An ISO 3297: 2007 Certified Organization) . ISSN (Online): 2278 – 8875 , Vol : 4, Issue : 7/July 2015.
31. Liang Chu., Liang Yao., Jian Chen., Libo Chao., Jianhua Guo., Yongsheng Zhang., Minghui Liu . Integrative braking control system for electric vehicles . 2011 IEEE Vehicle Power and Propulsion Conference, 1-5, 2011.
32. Zuowu Ding., Dongbiao Zhao., Jianmin Zuo . Modeling and simulation about an electric car's regenerative braking system . 2007 International Conference on Mechatronics and Automation, ISSN : 1705-1709, Issue : 2007.

33. Rakesh Chandmal Sharma., Manish Dhingra., Rajeev Kumar Pathak . Braking Systems in Railway Vehicles . International Journal of Engineering Research & Technology (IJERT). ISSN: 2278-0181, Vol : 4, Issue01/January-2015.
34. Luca Pugi., Tommaso Favilli., Lorenzo Berzi., Edoardo Locorotondo., Marco Pierini . Application of Regenerative Braking on Electric Vehicles . 2019 IEEE International Conference on Environment and Electrical Engineering and 2019 IEEE Industrial and Commercial Power Systems Europe (EEEIC/I&CPS Europe), Issue :1/ 6 - 2019.
35. R. Vignesh., Mr. S.R. Benin . Design And Analysis Of Regenerative Braking System Of All - Terrain Vehicle . Saveetha School of Engineering, SIMATS, Chennai. ISSN- 2394-5125 , VOL : 7, ISSUE : 06, 2020.
36. Qiping Chen., Hao Shao., Yu Liu., Yuan Xiao., Ning Wang & Qiang Shu . Hydraulic-pressure-following control of an electronic hydraulic brake system based on a fuzzy proportional and integral controller . Issue : 28 Sep 2020 , Link : <https://doi.org/10.1080/19942060.2020.181649>.
37. Shriram Pawar., Praful Rote., Pathan Sahil., Mohd Sayed . Review and Proposal of Exhaust gas operated air brake system for automobile . IJARIII-ISSN(O)-2395-4396, Vol-4, Issue-5 2018.
38. De Gruyter . The impact of the truck loads on the braking efficiency assessment . Published online: March 10, 2020 , Link : <https://doi.org/10.1515/eng-2020-0014>.
39. Jianqiang Gong., Yaping Luo., Zhaowen Qiu, & Xiangdong Wang. Determination of key components in automobile braking systems based on ABC classification and FMECA . Key Laboratory of Operation Safety Technology on Transport Vehicles, Research Institute of Highway, Ministry of Transport, Beijing 100088, China . ISSN - 2095 - 7564. Issue : 2020.
40. Xiangmo Zhao., Ruru Hao., Zhou Zhou., Amira Ashour & Nilanjan Dey . Novel Bench-Based Inspection Approach for Automobile Anti-Lock Braking System . International Journal of Automotive Technology , Volume :19.
41. Susan Rebecca Cikanek., Kathleen Ellen Bailey. Regenerative braking system for a hybrid electric vehicle. Proceedings of the 2002 American Control Conference (IEEE Cat. No. CH37301), Vol-4 ,3129-3134, 2002.

42. Yimin Gao., Mehrdad Ehsani. Electronic Braking System of EV And HEV---Integration of Regenerative Braking, Automatic Braking Force Control and ABS. SAE transactions, 576-582, 2001.
43. Tarun Kumar Bera., K Bhattacharya., Arun K Samantaray. Evaluation of antilock braking system with an integrated model of full vehicle system dynamics, Simulation Modelling Practice and Theory 19, Vol:10, 2131-2150, 2011
44. Yimin Gao., Liang Chu., Mehrdad Ehsani., Design and control principles of hybrid braking system for EV, HEV and FCV, IEEE Vehicle Power and Propulsion Conference, 384-391, 2007
45. Xiaohong Nian., Fei Peng., Hang Zhang. Regenerative braking system of electric vehicle driven by brushless DC motor. IEEE Transactions on Industrial Electronics 61, Vol:10, 5798-5808, 2014.
46. Georg F Mauer. A fuzzy logic controller for an ABS braking system, IEEE Transactions on Fuzzy Systems 3, Vol:4, 381-388, 1995
47. Ali Belhocine., Oday Ibraheem Abdullah. Finite element analysis (FEA) of frictional contact phenomenon on vehicle braking system, Mechanics based design of structures and machines, 1-36, 2020.
48. MK Yoong., YH Gan, GD Gan., CK Leong., ZY Phuan., BK Cheah., KW Chew. Studies of regenerative braking in electric vehicle, IEEE Conference on Sustainable Utilization and Development in Engineering and Technology, 40-45, 2010.
49. Dong Peng., Yong Zhang., C-L Yin., J-W Zhang. Combined control of a regenerative braking and antilock braking system for hybrid electric vehicles, International Journal of Automotive Technology 9, Vol:6, 749-757, 2008.
50. Zhongshi Zhang., Lifang Wang., Junzhi Zhang, Ruihai Ma. Study on requirements for load emulation of the vehicle with an electric braking system, IEEE Transactions on Vehicular Technology 66 (11), 9638-9653, 2017.

IJSER