















































- [22] K. Thyagarajan, C. Kakkar, S-band single-stage EDFA with 25-dB gain using distributed ASE suppression, *IEEE Photonics Technol. Lett.* 16 (2004), 2448-2450.
- [23] B. Pederson, Small-single erbium-doped fiber amplifiers pumped at 980 nm: a design study, *Opt. Quantum Electron.* 26 (1994), S237-S244.
- [24] N. A. Olsson, J. Hegarty, R. A. Logen, L. F. Johnson, K. L. Walker, L. G. Cohen, B. L. Kasper, J. C. Campbell, 68.3 km transmission with 1.37 T Bit Km/s capacity using wavelength division multiplexing of ten single frequency lasers at 1.5  $\mu\text{m}$ , *Electron. Lett.* 21 (1985), 105-106.
- [25] P. K. Mishra, S. I. Hosain, I. C. Goyal, A. Sharma, Scalar variational analysis of single mode graded core W-type fibers, *Opt. Quantum. Electron.* 16 (1984), 287-296.
- [26] M. Monerie, Propagation in doubly clad single mode fibers, *IEEE J. Quant. Electron.* QE 18 (1982), 534-535.
- [27] S. J. Garth, Characterisation of modal noise, splice and bending loss in single mode depressed cladding fibers, *J. Mod. Opt.* 36 (1989), 611-618.
- [28] A. Bose, S. Gangopadhyay, S. C. Saha, Simple method for study of single-mode dispersion- shifted and dispersion-flattened fibers, *J. Opt. Commun.* 33(2012), 195-200.
- [29] K. Kamila, A. K. Panda, S. Gangopadhyay, Prediction of Petermann I and II Spot Sizes for Single-mode Dispersion-shifted and Dispersion flattened fibers by a simple technique, *J. Opt. Commun.* 34 (2013), 173-177.
- [30] S. Sarkar, K. Thyagraja, A. Kumar, Gaussian approximation of the fundamental mode of single mode elliptic core fibers, *Opt. Commun.* 49(1984), 178-183.
- [31] B. Das, A. Maiti, S. Gangopadhyay, Laser driven single-mode core dispersion shifted/ dispersion- flattened fiber excitation via hyperbolic microlens on the fiber tip: Prediction of coupling efficiency by ABCD matrix formalism, *Optik* 125 (2014), 3277–3282.
- [32] S. Pramanik, G. Das, S. Sarkar, Comparative study of the influence of the aspect ratio of trapezoidal index profiles on the performance of a fiber Raman amplifier, *Opt. Eng.* 49 (2010), 055001(1-3).

#### Author's Details:

<sup>1</sup>Department of Physics, Jadavpur University, Kolkata-700032, West Bengal, India and Department of Physics, SDET-Brainware Group of Institutions, Barasat, Kolkata-700124, West Bengal, India.

<sup>2</sup>Department of Physics, Jadavpur University, Kolkata-700032, West Bengal, India.

<sup>3</sup>\*Corresponding author: Department of Physics, SDET-Brainware Group of Institutions, Barasat, Kolkata-700124, West Bengal, India and former Associate Professor (Physics), Surendranath College, Kolkata-700009, West Bengal, India.

E-mail: [\\*sankar.gangopadhyay@yahoo.co.in](mailto:sankar.gangopadhyay@yahoo.co.in)