# Energy Harvesting Using Piezoelectric Effect and Its Practical Applications

Shashank Kumar Ojha; BTech, Electronics and communications Akhilesh Das Gupta Institute of Technology and Management

Gaurav Sharma; BTech, Electronics and communications, Akhilesh Das Gupta Institute of Technology and Management

Abstract: Piezoelectric Effect is the ability of certain materials to generate an electric charge in response to applied mechanical stress. The word Piezoelectric is derived from the Greek piezein, which means to squeeze or press, and piezo, which is Greek for "push". Was discovered by Paul-Jacques Curie and Pierre Curie experimentally in 1880.

Whereas Piezoelectricity is the electric charge that accumulates in certain solid materials (such as crystals, certain ceramics, and biological matter such as bone, DNA and various proteins) in response to applied mechanical stress. And in this paper, we shall study how we can harness electricity through it.

Keywords: piezoelectricity, piezoelectric ceramics, energy harvesting using piezoelectric effect, applications

#### I. INTRODUCTION

As in today scenario where climate of earth is rapidly increasing and has increase on an average of 2 degree Celsius. There is a need for alternative fuels and ways to harness electricity, energy for human needs as the main cause of this climate change is rapid burning of fossil fuels which is the main source of energy on earth.

Moreover, at present pace of using the fossil fuel they will run out in near future.

So, as an alternative of this we will research about as alternative method of harvesting electricity using piezoelectric effect.

For this first we must study about the material which possess piezoelectric effect which are

commonly called as **piezoelectric ceramics**, some are naturally occurring, and some are human made with the advancement of science and technology.




Figure 1 Graph showing future energy reserves for coal, gas, and oil [1]

II. PIEZOELECETRIC CERAMICS/MATERIAL

Piezoelectric materials/ceramics are materials that can generate internal electrical charge from applied mechanical stress.

Some of piezoelectric material are

- . --- . --

#### Naturally occurring crystals:

Quartz(A stable crystal used in watch crystals and frequency reference crystals for radio transmitters), Sucrose (table sugar), Rochelle salt(Produces a large voltage with compression; used in early crystal microphones), Topaz, Tourmaline, Berlinite (AIPO<sub>4</sub>)(A rare phosphate mineral structurally identical to quartz.)

### Man-made crystals:

Gallium orthophosphate (GaPO<sub>4</sub>) (a quartz analog), Langasite (La<sub>3</sub>Ga<sub>5</sub>SiO<sub>14</sub>) (a quartz analog),

#### Piezoelectric ceramics:

Barium titanate (BaTiO<sub>3</sub>)(The first piezoelectric ceramic discovered), Lead titanate (PbTiO<sub>3</sub>), Lead zirconate titanate (PZT)(Currently the most commonly used piezoelectric ceramic) ,Potassium niobate (KNbO<sub>3</sub>), Lithium niobate (LiNbO<sub>3</sub>), Lithium tantalate (LiTaO<sub>3</sub>), Sodium tungstate (Na<sub>2</sub>WO<sub>4</sub>)

# **Biological piezoelectric materials:**

Tendon, Wood, Silk, Enamel, Dentin, Collagen

#### **Piezoelectric polymers**

Piezopolymers are lightweight and small, thus growing in popularity for technological application.[2]




Figure 2 piezoelectric material [3]

IJSER © 2020 http://www.ijser.org International Journal of Scientific & Engineering Research Volume 11, Issue 11, November-2020 ISSN 2229-5518

#### III. WHAT CAUSES PIEZOELECTRICITY?

In most crystals (such as metals), the unit cell (the basic repeating unit) is symmetrical; in piezoelectric crystals, it isn't. Normally, piezoelectric crystals are electrically neutral: the atoms inside them may not be symmetrically arranged, but their electrical charges are perfectly balanced: a positive charge in one place cancels out a negative charge nearby. However, if you squeeze or stretch a piezoelectric crystal, you deform the structure, pushing some of the atoms closer together or further apart, upsetting the balance of positive and negative, and causing net electrical charges to appear. This effect carries through the whole structure so net positive and negative charges appear on opposite, outer faces of the crystal.[4]




Figure 3 Causes of piezoelectric effect in crystal i.e. tension and compression [5]

Applying mechanical energy to a crystal is called a **direct piezoelectric effect** and works like this:

A piezoelectric crystal is placed between two metal plates. At this point the material is in perfect balance and does not conduct an electric current.

- 1. Mechanical pressure is then applied to the material by the metal plates, which forces the electric charges within the crystal out of balance. Excess negative and positive charges appear on opposite sides of the crystal face.
- 2. The metal plate collects these charges, which can be used to produce a voltage and send an electrical current through a circuit.[6]

# Let usnow look about the simple mathematical aspect of piezoelectricity




Figure 4 how piezoelectricity generated [7]

When placed under stress, the piezoelectric crystal produces a polarization, *P*, proportional to the stress that produced it.

The **main equation of piezoelectricity is P = d × stress**, where *d* is the piezoelectric coefficient, a factor unique to each type of piezoelectric material. The piezoelectric coefficient for quartz is  $3 \times 10^{-12}$ . The piezoelectric coefficient for lead zirconate titanate (PZT) is  $3 \times 10^{-10}$ .

Small displacements of ions in the crystal lattice create the polarization

observed in piezoelectricity. This only occurs in crystals that do not have a center of symmetry.[8]

#### IV. <u>ENERGY HARVESTING USING PIEZOELECTRIC</u> EFFECT

Typically, an energy harvesting system has three parts

• The energy source: represents the energy from which the electrical power will be scavenged— this energy can be ambient (available in the ambient environment, e.g., sunlight, ambient heat or wind) or external (energy sources that are explicitly deployed, e.g., lightning, human heat or vibrations)

- The harvesting mechanism consists of the structure which converts the ambient energy into electrical energy.
- The load: the sink which consumes or stores the electrical output energy. [8]




Figure 5 Block diagram of energy harvester using piezoelectric effect [9]

The classic (high efficiency) energy harvester system consists of an **energy generator, capture, storage, management electronics and load** designed to be powered by the harvester, typically a wireless sensor network. In the block diagram above a piezoelectric crystal membrane is shown as the energy generator.

- The piezoelectric generator/ sensor transforms mechanical vibrations, strain, or stress into electrical voltage/current. This mechanical strain can come from many different sources including human motion, bridge or other low-frequency seismic vibrations, aircraft or vessel vibrations and acoustic noise are everyday examples. Theses generator/ sensor are available in various configuration, they are listed below [10]
- 2. Full-bridge rectifier(Buck Boost convertor (the main objective of a buck-boost converter is to receive an input DC voltage and output a different level of DC voltage, either lowering or boosting the voltage as required by the application)) is commonly used as rectifier circuits to convert the AC output of a piezoelectric into a DC voltage. The rectifying circuits consist of 4 diodes. The voltage needs to rectify due to the need for constant supply of voltage light up the series of LED placed in parallel.
- Step 2 initiates the capture and storage operation. The detector can accept instantaneous input voltages ranging from 0.0V to +/-500Vac and input currents from 200nA to 400mA in either a steady stream of pulses or intermittent and irregular manner with varying source impedances. Early harvester electronics required a minimum of 4V input to

International Journal of Scientific & Engineering Research Volume 11, Issue 11, November-2020 ISSN 2229-5518

capture and store the energy from PZT and other generators. More recent designs feature a front-end voltage booster and claim to initiate capture and energy storage with voltage inputs aslow as 100mV.[11]

 The energy is stored in super capacitor /Li-on battery, which when charged get utilize by load (which can a low energy consuming device)

## V. <u>APPLICATION OF PIEZOELECTRIC EFFECT</u>

- harvesting electricity is the one of the major applications of piezoelectric effect.
- MEMS devices have become more commonplace as more integrated capabilities are required in smaller packages, such as cell phones, tablet computers, etc. The advantage of MEMS devices is that gyroscopes, accelerometers, and inertial measuring devices can be integrated into chip-sized packages. To accomplish such a feat, piezoelectric actuators and sensors are often used.
- In the field of small robotics, small power-efficient mechanical actuators and sensors are needed. With the use of piezoelectric actuators, building something as small as a robotic fly that can crawl, and fly is technically feasible.
- Many acoustic-electric stringed instruments utilize piezoelectric pickups to convert acoustic vibrations to electric signals.
- Some microphones (such as contact microphones for percussion instruments) use piezoelectric materials to convert sound vibrations to an electrical output.
- This is, perhaps, the most well-known and ubiquitous use of piezoelectricity. In a piezoelectric ignitor, a button or trigger is used to cock and release a spring-loaded hammer, and the hammer is used to strike a rod-shaped piezoelectric ceramic.
- Piezoelectric speakers are featured in virtually every application that needs to efficiently produce sound from a small electronic gadget. These types of speakers are usually inexpensive and require little power to produce relatively large sound volumes.
- Piezoelectric buzzers are like piezoelectric speakers, but they are usually designed with lower fidelity to produce a louder volume over a narrower frequency range.[12]

#### VI. <u>RECENT DEVELOPMENTS IN FIELD OF</u> <u>PIEZOELECTRICITY IN INDIA.</u>

1. Researchers at Bengaluru-based Indian Institute of Science have developed piezo-electric material using ceramic. Piezoelectric materials, which change their shape when an electric field is applied, have a wide range of applications from use in inkjet printers to ultrasound machines. [13]

### **REFERENCES:**

- https://www.ecotricity.co.uk/our-green-energy/energyindependence/the-end-of-fossilfuels#:~:text=Globally%2C%20we%20currently%20con sume%20the,in%20just%20over%2053%20years.
- 2. https://sciencing.com/list-ferromagnetic-metals-8479101.html ; history of piezoelectric effect
- https://www.researchgate.net/figure/Different-classesof-piezoelectric-materials fig7 329228323 : 1<sup>st</sup> figure
- https://www.explainthatstuff.com/piezoelectricity.html; what causes piezoelectricity
- https://www.autodesk.com/products/eagle/blog/piezoele ctricity/; image no: 3
- https://www.autodesk.com/products/eagle/blog/piezoele ctricity/; how piezoelectricity works
- https://www.autodesk.com/products/eagle/blog/piezoele ctricity/ ; image No. -8

- 8. https://sciencing.com/piezoelectric-materials-8251088.html; mechanism of piezoelectricity
- Corina Covaci \* and Aurel Gontean ," Piezoelectric Energy Harvesting Solutions: A Review" published on 21/06/2020 in SENSORS , page no.: 1
- 10. https://www.researchgate.net/figure/Basic-blockdiagram-of-piezoelectric-energyharvesting\_fig2\_316582942 ; figure No.: 1
- Corina Covaci \* and Aurel Gontean, "Piezoelectric Energy Harvesting Solutions: A Review" published on 21/06/2020 in SENSORS , page no.: 12, table no.: 5
- https://www.americanpiezo.com/blog/top-uses-ofpiezoelectricity-in-everyday-applications/ ; uses of piezoelectric effect
- https://www.thehindubusinessline.com/news/science/sci entists-develop-new-ceramic-based-piezoelectricmaterial/article23814591.ece ; <u>Sunderarajan</u> <u>Padmanabhan</u> New Delhi | Updated on May 08, 2018 Published on May 08, 2018

ER