

The Impact of Decentralization of the Philippines' Public Health System on Health Outcomes

Paul Ryan F. Cuevas, Clarisse F. Calalang, David Joshua A. Delos Reyes, Asst. Prof. Marie Antoinette L. Rosete, MDE

Abstract—In 1991, the Local Government Code of 1991 was constituted to commence, among others, the decentralization of the republic's health care structure from the national administration to local government units (LGUs). This was recognized on the concept that with decentralization, health system in the country would be strengthened. As the directive continued, past researchers concluded a system failure in the country's health sector upon its implementation. To scrutinize the previous scholars' suppositions, this study assessed the impact of the decentralization of the Philippines' public health system on health state of the population. The researchers pursued such analysis by utilizing the econometric model based on the Andrei, T., Mitrut, C., Constantin, D.L., & Oancea, B. (2009) study who dedicated their inquiry on the impact of decentralization of Romania's public health system to Romania's populations' health state, and by using 1980-2012 data series measured by national-level statistics. The researchers found out that total government health expenditure, and bed capacity per 10,000 populations are statistically significant and has a progressive influence to the population health conditions with a decline in infant mortality rate by 1,000 live births. However, the government doctors' population relative to infant death ratio was uncovered to be statistically insignificant.

Index Terms—Decentralization, Public Health System, Total Government Health Expenditure, Bed Capacity Ratio, Government Doctors' Population, Infant Mortality Rate, Ordinary Least Squares Method

1 INTRODUCTION

A well-functioning healthcare system, according to the World Health Organization (WHO), provides even-handed access to quality care regardless of people's aptitude to pay while protecting them against the financial consequences of ailing health. Even the constitutional laws secure this characterization through Section 15, Article II of the Philippines' 1987 Constitution by distinctly conveying the responsibility of the government on fortifying its populaces by protecting and promoting the right to health and inculcating health consciousness among them. Thus, health is a fundamental right guaranteed to all citizens. But according to the conclusion of Solon, F.S., [1] in his study, the above-mentioned assertions does not transmogrify in the country's actuality and does not operate well on the Philippine healthcare system. The standard in health care for the Filipinos can be concluded to these observations: disparity in health stays stronger while health state of the Filipinos remains to be weak [2]. Just by the analysis of the health sector's key participants, it implies a system failure. Inadequate budgets, declining in-

volvement of the government at the national level, unclear systems of accountability, insufficient number of health workforce, mainly doctors, and lack of hospital facilities in rural areas are just some of the problems plaguing the Philippines' health care system and national health status [3].

As explained by Atienza, M.E., [4] in her "*The Politics of Health Devolution in the Philippines: Experiences of Municipalities in a Devolved Set-up*", and subsequent to the aforementioned State policy, the Local Government Code of 1991 was enacted to introduce, among others, the devolution of the country's health care system from the national government to local government units (LGUs). This was based on the postulate that with decentralization, health system in the country would be now then reinforced, specifically on the enhancement of quality and equitable delivery of health services - the local government executives would know where the need for such services is dire and would be able to prioritize such needs. Hence, the responsibility for the maintenance of public health, including the operation and maintenance of local health facilities, was transferred from the Department of Health (DOH) to the governors of concerned provinces or mayors of host municipalities and cities.

More than twenty years since its implementation, past researchers concluded that the actual results of this devolution experimentation have run counter to previous expectations [4]. There is unequal and discriminatory access to health care that leaves the underprivileged behind and makes them even poorer; truncated overall government spending on health;

- Mr. Paul Ryan F. Cuevas is currently pursuing undergraduate degree program in Business Economics in the University of Santo Tomas. E-mail: paulryanf.cuevas@gmail.com
- Ms. Clarisse F. Calalang is currently pursuing undergraduate degree program in Business Economics in the University of Santo Tomas. E-mail: clarisse.calalang@gmail.com
- Mr. David Joshua A. Delos Reyes is currently pursuing undergraduate degree program in Business Economics in the University of Santo Tomas. E-mail: david_delosreyes@yahoo.com
- Asst. Prof. Marie Antoinette L. Rosete, MDE is currently a professor in the Business Economics Department, College of Commerce and Business Administration of the University of Santo Tomas. Email: antoinette_roseete@yahoo.com

high out-of-pocket spending that impoverishes thousands of Filipino families; shortage in human resources for health, particularly doctors, resulting to persisting high maternal and newborn deaths that are among the highest in the Southeast Asian region; high fertility rates among the poorest Filipino women; the continuing challenge of infectious diseases like TB, dengue and malaria; emerging diseases like HIV/AIDS and the interlocking crisis of non-communicable diseases [5]. Evaluations of the health system in the country since the advent of devolution conducted by independent experts have confirmed the "slow decay" in the health scheme [6]. Supporting such claim is the Herrera, Roman [3] study that determined among the problems that hound the devolution of health services comprise: the low priority given by LGUs to health concerns, fragile governance leading to corruption in the procurement of medicines and hospital beds, insufficiently weak and ineffective health information system and denial of benefits of health workers due to incapacity of LGUs to bear.

In the Blöchliger, H., & Vammalle, C. [7] study, contemporary improvement strategy discussions and empirical studies on devolution principally determined on authority and competence, and scarcely on the decentralized health system and health status effects. With the aim of supposedly more effective health security agendas in mind, international organizations are increasingly focusing their inquiry on the decentralization in the authoritative performance and less on the emphasis on the health outcomes [8].

According to Jimenez, D., & Smith, P.C. [9], there is little evidence that countries with a more decentralized health system have resulted to better performance and better health outcomes. So far only a limited number of studies have attempted to measure the magnitude of the effect of public sector decentralization on health outcome indicators. On the whole, these studies find a beneficial effect of decentralization on indicators of health outcomes [10].

As observed by the researchers of this study, almost all existing empirical studies on the relationship between decentralization and health outcomes have used overall indicators of public sector decentralization. Conversely, a precise measure of health care decentralization is however difficult to develop [9]. Health care decentralization is a complex phenomenon embracing a number of political, fiscal and administrative dimensions. Many of these aspects are, as yet, not easy to measure empirically, e.g., who determines the range of the services to be covered, who sets the regulatory framework, or who decides the financing mechanism of the system as a whole [11]. The extensively used quantitative measure of health care

decentralization are the fiscal ones: the ratio of sub national health spending and/or the use of total health spending for all the levels of government. In the lack of more analyses by scholars who used other measures of decentralization, the researchers were challenged to trail such route. The researchers' study departs from examining the isolated effect of health sector decentralization with the use of fiscal decentralization analysis. Also, there is an observed uncommonness of researches done in the Philippines regarding the health system decentralization and its effect to health outcomes. With such, the investigators' central objective is to address the lack of formal analysis, and analyze the connection concerning the decentralization and the Philippine health state aside from the fiscal dimension that is frequently used by several academics. Another vital curiosity of this study is to put in the picture the bureaus and agencies of our government in the field of health on the product of partaking a devolved health system in our country's setting for the past years and its general effect on the lives of the Filipinos, more than ever the marginalized. Furthermore, this study is aimed to be significant to the future researchers who want to engage in academic explorations in search for the appropriate and effective health system or how to further develop decentralization or the health outcomes in the Philippines.

2 LITERATURE REVIEW

2.1 Total Government Health Expenditure

This section provides a review of key studies that have considered the relationship between health financing and health outcomes, using macro-level data. However, in the study of Nixon, J. & Ulmann, P. [12], the evidence for a causal relationship between health care financing and health outcomes remains elusive as problems emerge from the difficulty of isolating the contributions of health status "output" which frustrates attempts to measure the overall effectiveness and efficiency of health care. In order to justify such linkage, the researchers of this study identified potentially suitable economic studies.

Relatively few studies have been successful in finding a link between total government health care expenditure, and health outcomes, such as the predominant use of infant mortality rate, etc. [13]. Some of these analyses are the following:

The study entitled "*The Effect of Public Health Expenditure on Infant Mortality: Evidence from a Panel of Indian States*" baseline specification suggests that an increase in public expenditure on health care by 1 percent will reduce the infant mortality rate by 8 deaths per 1,000 live births. This suggests that Indian

states can reduce the infant mortality rate rapidly by increasing what is now an extremely low level of public expenditure on health care [14].

The research work entitled “*Government Health Expenditures and Health Outcomes*” by Bokhari, F.A., Gai, Y., & Gottret, P. [15], provided an econometric evidence linking a country’s government expenditures on health and per capita income to two health outcomes: infant mortality and maternal mortality. Using instrumental variables techniques (GMM-H2SL), they estimate the elasticity of these outcomes with respect to government health expenditures and income while treating both variables as endogenous. Consequently, their elasticity estimates are larger in magnitude than those reported in literature, which may be biased up. The elasticity of infant mortality with respect to government expenditures ranges from -0.25 to -0.42 with a mean value of -0.33. For maternal mortality the elasticity ranges from -0.42 to -0.52 with a mean value of -0.50. For developing countries, their results imply that while economic growth is certainly an important contributor to health outcomes, government spending on health is an imperative factor as well. Supporting study results such as Razaeei, S., et al. [16] showed that there is a negative significant relationship between public health expenditures with regards to infant mortality rates.

Gavurová, B., & Vagašová, T. [17] led the “*The Significance of Amenable Mortality Quantification for Financing the Health System in Slovakia*” study with the aim of exploring the regression between the Age-Standardized Death Rates (ASDR) per 100,000 populations and Number of Registered Infant Mortality per 1,000 live births in EU countries and per capita total expenditure on health expressed in PPP int.\$ in 2012. Determination index (R^2) indicates that 81.55% of dependency of their data is explained by power type regression. With the increase per capita total expenditure on health by 1 unit, the lower decrease of ASDR per 100,000 and IMR per 1,000 live births can be expected as 1 unit. The least sum of money on health is given by Romania (872.9), and also the ASDR per 100,000 and IMR per 1,000 live births belong to the highest of EU countries (195.23). On the contrary, Luxembourg (6340.6) contributes the highest amount on health, and its amendable infant mortality performs one of the lowest levels of (ASDR) per 100,000 (61.54).

Jaba, E., Balan, C. B., & Robu, I. [18] piloted a cross-country and time-series analysis concerning the number of registered infant mortality by 1,000 live births by rate and health expenditures. The values of the regression coefficients associated to health expenditures are positive, and there is a sig-

nificant positive relationship between the two variables for all the four groups of countries. The highest effect of health expenditures on health outcomes is obtained for the lower middle income group, while the smallest effect is obtained for the high income group. The results of the panel data analysis using the fixed effects model revealed that inequalities in health care expenditures explain the different outcomes of healthcare systems, by groups of countries defined according to income level and geographic region. The present research confirms the previous findings on the relationship between health status and health expenditures.

In Soto, V.E., et al. [19] study, they pointed out that fiscal decentralization, through the measurement of total government health expenditure, it owned a negative relationship with infant mortality rates in Colombia for the provision of primary health services to municipalities seemed to lead to more efficient allocation of resources.

Anyanwu, J.C. & Erhijakpor, A.E. [20] postulated in their “*Health Expenditures and Health Outcomes in Africa*” work an economic evidence linking African countries’ per capita total as well as government health expenditures and per capita income to two health outcomes: infant mortality and under-five mortality. The relationship is examined using data from 47 African countries between 1999 and 2004. Health expenditures have a statistically significant negative effect on infant and under-five mortality rates.

According to Yaqub, J.O., et al. [21], total government health expenditure has negative effect on infant mortality and under-5 mortalities when governance indicators such as corruption on public health expenditures had not yet been suppressed.

One of the input variables used by Asandului, L., Roman, M., & Fatulescu, P. [22] in their data envelopment analysis study on the healthcare systems in Europe was the total government expenditure allotted to healthcare. The percentage of the government expenditure allotted to health consists of recurrent and capital spending from government (central and local) budgets, external borrowings and grants (including donations from international agencies and nongovernmental organizations), and social (or compulsory) health insurance fund. The percentage of health expenditures has a minimum of 2.45% (Cyprus) and a maximum of 9% in (Denmark and France). The percentage of public health expenditures has a standard deviation of 1.65% and a coefficient of variation of 25.3%, which means that the sample of 30 states were identified that such health expenditures help in placing the people’s health to better state, primarily on the newborns

To highlight the importance of efficiency in health financing when it comes to health systems strengthening, here are related studies that depicts the effect of health expenditure budgeting to health outcomes, specifically on infant mortality rate:

In the "Decision Rules for Allocation of Finances to Health Systems Strengthening" of Morton, A., Thomas, R., & Smith, P.C., [23], it was concluded how economic analysis of horizontal programs - of health systems strengthening - can be brought within the scope of analysis using principles that are consistent with standard cost-effectiveness analysis. The logic of the results is as follows: as long as the decision maker has a limited budget, one should fund infant mortality (IMR) reduction projects, because one can get health gains without a large outlay. The study conducted by Kim, T.L., et al. [24] suggests that income inequality is not causing bad outcomes in itself rather the provision of public health services which has a direct and consistent relationship with infant mortality. Some studies suggest specific budget allocation such as that of Hanmer, L., et al. [25]. They suggest to support and have a well established female education for child health in line with health provision if the reduction of IMRs are to be realized. The Shetty, A. & Shetty, S. [26] study demonstrates that the benefits of a declining infant mortality rate accrue when the government health spending is robust, even low income countries which allocate a reasonable proportion of state spending on health enjoy a relatively lower infant mortality rate. Farahani, M., et al. [27] contrasts that richer states tend to spend more per capita also tend to have lower infant mortality rate, however, the key still lies on proper allocation of funds.

Another supporting paper is the study conducted by Balabanova, D., et al. [28] that highlights Bangladesh, Ethiopia, Kyrgyzstan, Thailand, and the Indian state of Tamil Nadu which have achieved good health with low IMR records at low cost and stress the vital role of systems-level elements in delivering success in what can be extremely challenging environments. In the Anyanwu, J. C. & Erhijakpor, A. E. [20] study, it states that using aggregate health expenditures as determinants of under-5 mortality and infant mortality should not be the case rather the proper allocation of funds on primary healthcare than of secondary and tertiary. Another is the Chowdhury, A.M., et al. [29] study entitled "The Bangladesh Paradox: Exceptional Health Achievement Despite Economic Poverty" describe how Bangladesh has higher life expectancy and lower infant, under-5 and maternal mortality than its South Asian neighbors, India, Pakistan and Nepal, despite lower per head expenditure. With regards to financial projects in health,

Powell-Jackson, T., Mazumdar, S., & Mills, A. [30] Indian study can be used to give justification to the fact that a well-performed health systems strengthening projects will lead to a better infant and maternal health. They have examined the association between one of the world's largest demand-side financial incentive programs and health-related outcomes in India. The study's findings on neonatal mortality show no strong evidence of an effect, although confidence intervals are not sufficiently tight to reject modest effects on infant mortality.

H1: *An increase in the total government health expenditure leads to a decrease in infant mortality rate.*

2.2 Health Workforce

Human resources for health are evidently a precondition for health care, with utmost medical interventions necessitating the assistances of health workers, particularly government doctors [31]. In turn, with assertion on the Gupta, N. & Dal Poz, M. [32] study, several economic studies employed and understood that health care is one of the determinants of population health, with other determinants including socio-economic, environmental, and behavioral factors. The researchers believe that these two relations generate a link between health human resources and population health.

Numerous international studies show evidence of a direct and progressive association concerning the number of health workers and population health outcomes. Here, the researchers of this economic research provide literatures to gauge the extent as to which human resources, specifically the population of government doctors, affect population health outcomes throughout and within the globe.

In the study conducted by Andrei, T., Mitrut, C., Constantin, D.L., & Oancea, B. [33] entitled "The Impact of Decentralization on Public Health System's Results: A Case of Romania", they examined the impact of decentralization of the public health system on health state of the population by means of an adequate econometric model and data series at development regions level measured by the global indicator, infant mortality rate. Data series for statistical indicators recorded at the eight development Romanian regions level between 1998 and 2005 were used. The results point out that the ratio of doctors by 1,000 inhabitants has a positive contribution to the health state.

The study of Nelson, R. [34] assessed Africa. In Africa, due to large part to government doctors, nurses, and midwives'

shortages, only 19% of African countries have at least 80% of their populations immunized for measles. And on average, 910 women die for every 100,000 live births, despite the fact that births attended by skilled professionals can significantly reduce the risk of maternal mortality, infant and under-five-year-old mortality also significantly decrease as the density of health workers increases. In the African region, there is an infant mortality rate of 99 deaths per 1,000 live births, a neonatal mortality rate of 40 deaths per 1,000 live births, and an under-five-year-old mortality rate of 165 per 1,000.

In the New York University Global Health Research publication entitled "*Promising Choices: How Health Workforce Policy Choices Dictate Health Outcomes*" by Middleberg, M.I., Rangarao, S., Hoemeke, L., Powers, M., Stillwell, B., & Tulenko, K. [35], it disclosed a clear-cut result that access to skilled, empowered, and supported government doctors has been shown to affect health outcomes, especially infant mortality, as it is said to be the "foundation for the improvements and access to health gains across countries." The Middleberg, M.I., et al. findings were based on the 2010, 2011, and 2012 World Health Reports released by the World Health Organization. The Bhutta, et al. [36] study entitled "*Global Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Systematic Review, Country-Case Studies, and Recommendations for Integration into Health Systems*" was used to support the hypothesis of the Middleberg, M.I., et al. study. It described the positive impact of the health worker ratio, and quality on infant, child, and maternal survival. The result of the study also indicates that across the assessed countries, increases in doctors, nurses, and midwives (DNM) density account for improvement in rates of the infant, under-5, and maternal mortality, top leading diseases like cardiovascular diseases and decreases in the costs of TB and malaria.

One of the major points raised in the Bhutta, et al. study was the certainty of the evident prevalence of scarcity of medical practitioners in most parts of the world, especially in the Asian developing countries. In recent decades, according to Hangoro, C., & McPake, B. [37], global concern about the shortage of government doctors, nurses, and midwives has been growing. The estimated shortage is about 4.3 million government doctors, nurses, midwives and support workers worldwide [38] and is considered as a 'global health crisis' [39] because it affects not only the developing countries but also the developed countries, forcing them to implement new policies in order to train, sustain, and retain the health workers. In the study of Gupta, N., et al. [40] entitled "*Human Resources for Maternal, Newborn, and Child Health: From Measurement and Planning to Performance for Improved Health Out-*

comes", the authors identified that most (78%) of the target countries face acute shortages of highly skilled doctors, nurses, and midwives, and large variations persist within and across countries in the workforce distribution, skills mix, and skills utilization. Furthermore, the study also concluded that too few countries aptly plan for, authorize and support nurses, midwives, and government doctors to deliver essential maternal, newborn and child healthcare interventions that could save lives. In Ghana, for example, 52% of the population is urban, but 87% of general practitioners live in urban areas [31]. Educational institutions lack the capacity to produce number of qualified health professionals needed to provide essential care [41]. Moreover, emigration of trained professionals from Asian countries to other countries, like Europe, stymies the growth of the health sector, limits the availability of doctors, nurses, and midwives in the government hospitals, and frails the quality of health care [42]. In addition, according to Dubois, C.A., & McKee, M., [43] study, there is growing international recognition that human resources for health have been a neglected component of health systems development in low-income and middle-income countries.

Another work that was utilized to support the Middleberg, M.I., et al. analysis was the Anand, S., & Bärninghausen, T. [44] econometric study where it examined the relationship between doctors, nurses, and midwives (DNM) density in government hospitals and infant mortality, under-five mortality, and maternal mortality. Controlling for the effects of income, female adult literacy, and absolute income poverty, they found a significant, negative relationship between DNM density and all three mortality rates. Moreover, four cross-sectional studies that have studied the effect of health workers on health outcomes have reached unpredicted conclusions and use government doctor density ratio to account for mortality outcomes. Robinson, J., & Wharrad, H. [45] found that a density of government doctors has no beneficial effect on maternal, infant, and under-five mortality. Later, the two researchers pondered attendance at birth and maternal mortality rates. This effect is what the authors called 'invisible doctors'. Following such, Cochrane, et al. [46] showed doctor density had an adversative outcome on maternal mortality (they call it a doctor anomaly), but no effect on infant mortality. Conversely, Kim, K., & Moddy, P.M. [47], recorded no significant association between doctor density and infant mortality, and Hertz E., Hebert J.R., & Landon, J. [48] did not note an association between doctor density and either infant or maternal mortality. All these four studies also investigated the link between doctor density and health outcomes, and all recorded a doctor invisibility—in other words, no association between doctor density and maternal mortality, infant or un-

der-five mortality, and infant mortality. All four studies used national income per person as one of the independent variables, but they all measured national income in US\$ at market exchange rates rather than in international dollars at purchasing power parity (PPP) rates. None of the four cross-sectional studies included absolute poverty as an explanatory variable, which has been shown to have an effect on health outcomes independent of average income per person. Furthermore, all four studies used stepwise regression to choose their independent variables from a larger set of variables, which might, concurring to the authors, be relevant.

Research literatures like the "Reassessing the Relationship between Human Resources for Health, Intervention Coverage and Health Outcomes" study by Speybroeck, N., Kinfu, Y., Dal Poz, M.R., & Evans, D.B. [49] tackle the scope of health interventions. The study demonstrated a significant positive relationship between the doctors, nurses, and midwives in the government hospitals and both measles immunization coverage and use of skilled birth attendants in Geneva. Following this, another Anand, S., & Bärninghausen, T. [50] study can be used to support such scope. It examined the relationship between the health worker density and both measles vaccination, along with prevention from infant deaths, diphtheria, pertussis, and tetanus (DPT3) vaccination, poliomyelitis (Polio3) vaccination. However, when the effects of government doctors and nurses were assessed separately, the researchers found that nurse density was significantly associated with coverage of all vaccinations and infant deaths prevention, but government doctor density was not. Female adult literacy was positively associated, and land area negatively associated, with vaccination coverage and infant deaths prevention. For the interpretation of the statistical results, the scholars affirmed that a higher density of doctors increases the availability of vaccination services over time and space, making it more likely those children will be vaccinated, hence, effectiveness of infant deaths prevention. As for the concluding results of the authors' study, they affirmed that doctors, nurses, and midwives can be a major constraining factor on vaccination coverage and infant mortality prevention in developing countries.

In a longitudinal econometric examination of the relationship between health sector resources and infant impermanence, Farahani, M., Subramanian, S.V., & Canning, D. [51] found a substantial, negative effect in the short run and an even larger negative effect in the long run. In this study, doctor density alone was used as a proxy for all health sector resources, as data for nurse and midwife density and other health sector inputs were not available over a sufficiently long time period

to measure long-run effects. The study developed a negative impact on infant mortality rate.

H2: *An increase in the number of government doctors lead to a decrease in infant mortality rate.*

2.3 Bed Capacity Ratio

The health sectors throughout the globe contend with several challenges accompanied with new requirements, namely; customer dissatisfaction, increasing cost of the health services [52]. According to the Yadav, P., [53] study, such constraints enumerated above depict the foremost crisis in the health sector - the poor availability of hospital beds. These considerations pressed the health organizations to adopt a system that can meet these requirements, dealing with the continuous changes, technology, increase in the health services costing, increase in competitive position and public health [54]. Evidently, there is an amassed need to promote the innovation of health care through the adoption of supply chain management [55] [56]. To cognize the concept of the term, two of the various well-known definitions from distinguished authors in Health Economics study for 'supply chain management' are as follows:

Supply chain management (SCM) deals with different categories of flows; namely, flows of goods, flows of information and flows of funds within and among supply chain partners in order to satisfy consumer needs in the most efficient way [57].

Supply chain administration is controlling the information, materials, services and money through any activity in a way that promotes the quality of an organization's operations; it also has to do with introducing new methods and adjusting or enhancing old ones, adhering to the fact that efficiency is doing things right, and productivity is doing the right things [58]

Such definitions ascertain that voluminous of researchers have conducted supply chain literatures that focused mainly on employing material flows to best match supply and demand [59] and a few on the impact of supply chain operations to health outcomes [60]. In Bigdeli, M., et al. [61] analysis, he stated that the relationship between health supply chain and population health outcomes are not given sufficient consideration. Since the goal of this research is to observe whether a conceivable association concerning the health supply chain and health outcomes exist in the Philippines, the authors attempted to provide a substantial number of international SCM literatures, mainly on the bed capacity ratio to support the researchers' hypothesis conceiving a possible relationship with infant mortality rate.

In the study conducted by Andrei, T., Mitrut, C., Constantin, D.L., & Oancea, B. [33] entitled “*The Impact of Decentralization on Public Health System’s Results: A Case of Romania*”, they examined the impact of decentralization of the public health system on health state of the population by means of an adequate econometric model and data series at development regions level measured by the global indicator, infant mortality and life expectancy. Data series for statistical indicators recorded at the eight development Romanian regions level between 1998 and 2005 were used. The results point out that the number of hospital beds per 1,000 inhabitants has a positive contribution to the infant mortality rate.

Research studies like “*The Impact of Financial Resources on Health Services Performance: Ministry of Health, Khartoum State*” by Al-Taher, A., [62] conceived a negative relationship between hospital bed ratio and infant mortality rate. In conclusion, the drawbacks in the adequacy of financial resources reflected in the deprived accessibility and availability of hospital beds in relation to infant mortality.

According to Belciug, S., & Gorunescu, F. [63], clinical observational data have suggested that bed occupancies above 85% could adversely affect safe, effective hospital function and that there is sufficient evidence to support the contention that bed-occupancy rates provide a useful measure of a hospital’s ability to provide high-quality infant care. Same observations but focused on the analysis of volume-outcome relationship in critically ill patients in relation to the ICU-to-Hospital bed ratio, the Sasabuchi, Y., et al., [64] research identified that there’s an inverse relationship between hospital volume of ICU patients and infant mortality was seen only when the ICU-to-hospital bed ratio was sufficiently high. Regionalization and increasing the number of ICU beds in referral centers may improve patient outcomes. Another related research is the “*Intensivist-To-Bed Ratio: Association with Outcomes in The Medical ICU*” study conducted by Dara, Sl., & Afessa, B., [65] and found out that differences in intensivist-to-ICU bed ratios, ranging from 1:7.5 to 1:15, were not associated with differences in ICU or hospital mortality, as such are the neonatal and maternal deaths. However, a ratio of 1:15 was associated with increased ICU LOS.

There are some studies like the Mckee, M., [66] that pinpoint why there are reductions in bed supplies in hospitals, factors like ambulatory services. Between 1991 and 1993, almost 10% of acute hospital beds in Winnipeg, Manitoba, were eliminated. A study of this process concluded that access to hospital was not adversely affected, since it led to increases in ambula-

tory surgery and earlier discharges. Quality of care (as measured by infant mortality within three months of admission), readmission rates (within 30 days of discharge), and increased contact with physicians did not change, nor did the health status of the Winnipeg population, as measured by premature mortality.

H3: *An increase in the bed capacity leads to a decrease in infant mortality rate.*

2.4 Synthesis

All the aforementioned economic journals and analyses served as study guides and main references to help the researchers lead an inquiry and an examination as to how:

- (i) appropriations of total government expenditure on health;
- (ii) adequacy of hospital beds; and
- (iii) availability of government doctors

in the country affected the infant mortality occurrence. And with that, authors of this economic manuscript tested the hypotheses that establish linkages between the explanatory variables and the health outcomes as shown in Figure 1.




Figure 1: *Conceptual Framework*

Hypotheses:

H1: *An increase in the total government health expenditure leads to a decrease in infant mortality rate.*

H2: *An increase in the number of government doctors lead to a decrease in infant mortality rate.*

H3: *An increase in the bed capacity leads to a decrease in infant mortality rate.*

3 RESEARCH METHOD

It is the goalmouth of this investigation to present demonstrated and satisfactory statistical data, interpretations, and conclusions that will be able to define a well-defined streak on the impact of the decentralization of the Philippines' public health system to the health outcomes. With such argument, the authors decided to trail the Andrei, T., Mitrut, C., Constantin, D.L. & Oancea, B. (2009) study who focused their inquiry on the impact of the decentralization of Romania's public health system to Romania's population health state.

In this study, the researchers decided to modify the fiscal variable the Andrei, T., et al., [33] study utilized due to the unavailability of complete data for health indicators in the country. Instead of setting one of the indicators as total government health expenditure as to GDP per capita at the development regional level appropriations, the researchers used total government health expenditure expressed in million Philippine Peso, at current prices since the study seeks answers in a national level.

On the inference of health workforce variable, DOH potential source of time-series indicator was identified for this variable and was used in this study, specifically the government doctors' population relative to medical practitioner population measurements. For the primary indicator of supply chain, the bed capacity per 10,000 populations was used to measure this variable with its possible association to population health outcome, which was measured through the use of the number of registered infant mortality per 1,000 live births by rate measurement. The said variables were the identical gauge used by Andrei, T., et al., (2009) study.

On the overall, the statistics for this research is secondary. The investigators sourced their figures to the following agencies: Philippine Statistics Authority, National Statistical Coordination Board, and Department of Health. In aiding the building up of data, Philippine health system reviews, health outlook forums, regional policy simulation reports, national demographics and health surveys, WHO handbooks, health knowledge hubs, working papers, sholarly articles, and health journals was also used.

In view of the fact that the study involves modeling a number of variables, multiple regression analysis was used to allow the researchers evaluate the relationship linking the independent variables along with infant mortality rate. The multiple regression model is:

$$(Eq. 1) \quad IMF = Y (TGH, BC, HW)$$

$$(Eq. 2) \quad IMF = \beta_0 + \log(\beta_1 TGE) + \log(\beta_2 GD) + \beta_3 BC + \mu$$

where:

IMF = Number of Registered Infant Mortality Rate per 1,000 live births

TGE = Total Government Expenditure on Health (in Php at current prices)

BC = Bed Capacity per 10,000 Population

GD = Government Doctors Population

μ=error term

The researchers undergone the Ordinary Least Squares Method. 1991 was the start of decentralization in the country [4]. thus, the utilization of 1980-2012 data for the abovementioned indicators were imperative. With the said year range, the authors were able to give truthful assessments about the impact of the decentralization scheme of the country's public health system over the past 20 years since its implementation.

4 RESULTS AND DISCUSSION

4.1 Assesment of the Total Government Expenditure on Health

On the overall, total health care expenditure has increased steadily from 1980 to 2012 (Table 1.0). In reference to this, the data gathered by the researchers from the National Statistics Coordination Board (Table 1.1) depicts a steady increase from the start of decentralization of the health system by using the years 1995 to 2005 with an annual growth of 8.2%. In real terms, however, health expenditure per capita has grown by only 2.1% per year, suggesting that increases in nominal spending have been mostly due to inflation rather than service expansion. The Philippines allotted 3.0-3.6% of its gross domestic product (GDP) to health between 1995 and 2005 (Table 1.1). According to NSCB, this share rose slightly to 3.9% in 2010 but remains relatively low, compared with the WHO Western Pacific Region 2009 average of 6.1%.

In the Philippines, there are three major groups of payers of health care: (1) national and local governments, (2) social health insurance, and (3) private sources. Government accounted for 29-41% of total health expenditures in the period 1995-2005. According to National Statistics Coordination Board, health as a share of total 34 government spending in the same period was about 5.9%, lower than in Thailand (10%), only slightly higher than Indonesia (4.1%) and comparable to Viet Nam (6.3%).

The government, as a whole, spent more on personal health care than public health care each year from 1995 to 2005 (Table

1.2). More detailed expenditure accounts indicate that spending on hospitals dominated the government's personal health care expenditures. The government also allots a much larger share of its resources to salaries of employees compared to maintenance and operations and capital outlay (Table 1.3). The share of capital outlay both by national and local governments to total health expenditures is negligible.

4.2 Assessment of the Health Workforce

There are 22 categories of health workers trained in the Philippines. Some health worker categories do not correspond to international classifications as they have emerged because of demands within the Philippine health care system. Here, the researchers' focus is on the major internationally-recognized professional categories, namely nurses, midwives, dentists, physical therapists, and specifically on doctors. At present, there is no actual count of active health workers, and these data are not regularly collected. Some studies, such as that in 2008 by the Pharmaceutical and Health Care Association of the Philippines (PHAP) attempted to document the number of active doctors by specialization, but these were estimates.

On the trends in health care professionals, the largest category of health workers in the Philippines are nurses and midwives due to overseas demand for Filipino nurses. With the over-supply of nurses in the country, many newly graduated or licensed nurses are unable to find employment. Conversely, there is an underproduction in other categories such as doctors and dentists (Figure 2.0). In terms of health worker to the population ratios, nurse, medical technologist and occupational therapist ratios have constantly increased over the years, while ratios for the government doctor professionals to the population have fluctuated. To support such claim, as seen in Table 1, there is an observable dramatic decrease for the years 1993 and 1994. Such decline reflects changes in local supply of particular health worker categories.

Since data on the actual number of health professionals in the private sector is not readily available, the minimum number of health workers required by the DOH for hospitals to be licensed is used to describe distribution (assuming that hospitals should have the minimum human resources for health (HRH) requirements before they can be licensed). As shown in Table 2.0 there are clear differences in government and private sector distribution. More hospital-based doctors, nurses, PTs and OTs are in the private sector than in government. The table also shows that the positions in government and private hospitals for PTs/OTs and dentists are only in Levels 3 and 4 facilities. The inadequate number of government positions are

largely due to the inability of government to create enough positions in the bigger hospitals. In terms of health worker density, although Philippine density is comparable to selected countries, it should be noted that the Philippine ratios are computed based on "ever-registered" health professionals. Figure 2 show the density of government doctors in the country compared to other countries within the Asian region. In the last two decades, the density of doctors in the Philippines rose sharply, and then slightly decreased to 1.14 per 1,000 populations in 2004 (Figure 2). This large increase was mainly due to the high demand for nurses in other countries. The World Bank's 1993 Development Report suggested that, as a rule of thumb, the ratio of nurses to doctors should be 2:1 as a minimum, with 4:1 or higher considered more satisfactory for cost-effective and quality care. In the Philippines, for government and private health workers in hospitals in 2006, the nurse-to-physician ratio was 3:1, while the midwife-to-physician ratio was 2:1.

4.2 Assessment of the Hospital Bed Capacity

Traditionally, government hospitals in the country are larger and have more beds compared to private hospitals; however, there are more private hospitals. Over the years, the difference between government and private hospital beds has decreased as shown in Figure 3. From 1997 to 2007, the average number of beds totaled to 43,846 in government hospitals and 41,206 in private hospitals. The average bed-to-population ratio for the country for the 10-year period was 107 per 100,000 populations. Although this ratio meets the standard set by DOH for the country (1 bed per 10,000 population), ratios across regions, provinces and municipalities vary. Figure 3 also shows the increasing gap between population size and the supply of hospital beds.

Hospital beds are not classified according to the patients' level of care, whether acute or chronic, but rather according to the hospitals' service capability. In terms of the mix of beds, there are more Level 2 and Level 4 hospital beds in the government sector. Level 1 (or primary) government and private hospital beds are almost equal in number. About 40% of beds in all hospitals are found in teaching/training hospitals. According to Bureau of Health Facilities and Services of Department of Health it is worth noting that DOH classifies government acute chronic and custodial psychiatric care beds and facilities as Level 4 facilities, leaving only private psychiatric care beds and facilities in these categories.

Based on Republic Act 1939 (1957), government hospitals are mandated to operate with not less than 90% of their bed ca-

capacity provided free or as 'charity'. For private hospitals, the DOH through AO 41 (2007) required all private hospitals to identify not less than 10% of the authorized bed capacity as charity beds. This was issued as a requirement for hospital licensure.

In terms of distribution, inequities are evident in the distribution of health facilities and beds across the country. The hospital beds in these two regions account for 36% of the total for the country (Table 3). Of the regions, Region XIII and ARMM have the least number of health facilities and hospital beds.

4.3 Empirical Findings

The researchers progressed with Ordinary Least Squares as the approach for the model. For the initial regression as shown in Table 4, a result of 0.71 R-squared means that it is reliable as the desired model. The Durbin-Watson of 1.38 indicates non-autocorrelation since it is within the standard critical values (1.244 - 1.650) for a study with 32 observations and three variables. Autocorrelation was not confirmed by the Heteroskedasticity ARCH Test for it resulted to 0.79. However, in Table 4.1, the Breusch-Godfrey Serial Correlation LM Test confirmed an evidence of positive autocorrelation by having the result of 0.02 p-value for the probability Chi-Square which rejects the null hypothesis of homoskedasticity.

In order to solve the problem of heteroskedasticity, the researchers used "log" transform. Table 4.4 and Table 4.5 verifies the methodology that the researchers undergo through the use of BG LM Test and BPG Heteroscedasticity test.

It is most expected that "log" transformation will give the examination a better regression model. With such, it was also noted by the researchers that the used variables are considered significant corresponding to the probability values (Table 4.3). The result of the regression showed a negative relationship between TGE and infant death ratio which leads us to an understanding that for every 1% increase in the total government health expenditure, there is a decrease of 0.43 in the number of infant mortality by 1,000 live births. As for the bed capacity per 10,000 populations on infant death ratio, the regression showed a strong inverse relationship between bed capacity and infant death ratio which leads us to an evaluation that there is a reduction of 6 infant deaths by 1,000 live births whenever the bed capacity per 10,000 population increases by 1%, therefore null hypothesis is accepted.

For the health workforce indicator, the influence of government doctors' population on number of infant mortality by

1,000 live births is found to be statistically insignificant. Such results can be explained by the analyses done by Kim, K., & Moddy, P.M. [24], Robinson, J., & Wharrad, H. [45], Hertz E., Hebert J.R., & Landon, J. [48], and Anand, S., & Bärninghausen, T.[50] who recorded no significant association between government doctor population and infant mortality rate. These studies realized that the nurses' density ratio relative to the doctors' population ratio is greater in the health sector across countries. They also determined that "doctor invisibility" and "doctor anomaly" incidence is present in some countries since there is underproduction for government doctors and physicians, and there exists an oversupply of nurses which happens to be the same health sector setting the Philippines is currently experiencing (Hartigan-Go, 2014).

5 CONCLUSION AND RECOMMENDATIONS

The goal of the study is to determine whether the decentralization of the Philippines' public health system affects the population's health outcomes. The effects of two out of three independent variables were parallel to what the researchers have hypothesized. The researchers found out that an increase in total government expenditure on health, and bed capacity per 10,000 populations are statistically significant and has an inverse relationship with infant mortality rate per 1,000 live births. The government doctor population relative to infant mortality was found out to be statistically insignificant.

Based from the results of this study, the researchers recommend (i) to efficiently manage health expenditures for the purpose of expansion of healthcare services especially on the public sector. The public sector makes a higher demand in healthcare thus should be supplied the same. (ii) provide job opportunities for medical practitioners and encourage our nurses to pursue a higher education in the field (doctors) to fill the gap for the lack of the latter. At the same time, this will ease the process for the government to provide job opportunities for them during the transition; (iii) since there is still inadequacy in bed capacity, there is a need to reassess and redirect the distribution of beds across the country so that the demand for the former will be met efficiently according to per region's needs. The government should make a policy that addresses on the surplus of nurses and shortage of doctors. This policy will be redirecting surplus nurses to pursue medical schooling and have a doctor degree with the help of government financing. This will lessen brain drain and will promote integration which will fill the shortage of doctors in the country.

The researchers also endorse to the government the evaluation

of the six building blocks of the fortification of the Philippines' health system identified by the World Health Organization in 2007. The question to be asked is how can health sector reforms be implemented using these building blocks in health system strengthening? And how will these reforms address health inequities and structure universal health care (not just simply coverage)?

Governance: Wanted: A creative, visionary leader/manager who understands the complex issues which affect the delivery of health services, thinks progressively and systemically, has the courage to implement unpopular yet rational solutions and the moral fiber to withstand parochial and senseless lobbying from all sides. This leader, not necessarily a medical doctor, will be expected to rally the bureaucracy, as well as outside partners, to work together to improve health services for all citizens.

Regulation: The weakened regulatory system must be strengthened with improved science and better-equipped laboratories in order to register better products and medicines. This sector has to be educated and armed with the right tools to perform difficult task of protecting the health of society at large. It needs to be protected from both political interference and industrial capture. Quality of services and goods cannot be sacrificed for political and economic expediency.

Financing: The current government is concentrating on achieving universal health insurance coverage. Those who are already members should be educated on what their coverage entitles them to. In the meantime, the health insurance system should be reviewed and reformed to be better able to respond to the needs of members, both in-patient and outpatient, both clinical needs balanced with public health preventive programs and to be able to spend available resources most efficiently and to benefit the most number of people, fairly and equitably, not to be transactionally abused. Solidarity is not a strong point of our society and government has an opportunity to influence the public at large on this concept through education and action.

Human Resources in Health: An integrated approach is needed to strengthen basic science education and research capacity at all levels. The internal urban misdistribution and the external out-migration of health professionals need to be systematically addressed through legal, economic, socio-civic and developmental solutions.

ICT in Health: The use of information technology in health can translate to improved cost-efficiency and transparency. Ideally, ICT in health would be managed by IT experts knowledgeable in health concerns. However, due to the lack of such hybrid professionals, the cost-efficient use of IT in health is still a futuristic vision blocked by some reluctant stakeholders. This is an area where the government provides a good policy for standardization and utilization while allowing the private

sector to drive technology and innovations.

Service Delivery: Notwithstanding devolution, newer models for health intervention have slowly been developing. The key is in the leadership, whether municipal and provincial leaders will adopt health as a major agenda and spend the necessary funding to improve services. Nevertheless, the private sector will continue to fill in the gap to provide for the health needs of society at large. But, this comes at a steep price to the patients.

While it is true that health is only one concern that any government must face, it is a major issue which will affect other issues. A Whole-of-Government approach must be sought and sustained. We continue to muddle along long past the point when we can afford to. It is time for us to prioritize and exert consistent, unrelenting effort and political will to safeguard our nation's health outcomes.

6 REFERENCES

- [1] Solon, F. S. (2006). Good Governance for Nutrition in the Philippines: Elements, Experiences, and Lessons Learned. *Food Nutrition Bulletin Food and Nutrition Journal*, 27(4), 343-352. doi:10.1177/156482650602700409
- [2] Hartigan-Go, K., M.D. (2014). Re-engineering of Philippine Health Care: Can We Afford to Muddle Along? *Asian Institute of Management Business and Development Research*. Retrieved July 12, 2016.
- [3] Herrera, M. B., & Roman, F. L. (2010). Overview of Health Sector Reform in the Philippines and Possible Opportunities for Public-Private Partnerships. *Asian Institute of Management Business and Development Research*. Retrieved July 12, 2016.
- [4] Atienza, M. E. (2004). The Politics of Health Devolution in the Philippines: Experiences of Municipalities in a Devolved Set-up. *Philippine Political Science Journal*, 25(48), 25-54. doi:10.1080/01154451.2004.9754256
- [5] Akin, J., Hutchinson, P., & Strumpf, K. (2005). Decentralization and Government Provision of Public Goods: The Public Health Sector in Uganda. *Journal of Development Studies*, 41(8), 1417-1443. doi:10.1080/00220380500187075
- [6] Grundy, J., Healy, J., & Sandig, E. (2003). Overview of Devolution of Health Services in the Philippines. *International Electronic Journal of Rural and Remote Health Research, Education, Practice, and Policy*, 3, 2-9. ISSN 1445-6354
- [7] Blöchliger, H., & Vammalle, C. (2012). Reforming Fiscal Federalism and Local Government. *OECD Fiscal Federalism Studies*. doi:10.1787/9789264119970-en
- [8] Rubio, D. J. (2011). The Impact of Decentralization of Health Services on Health Outcomes: Evidence from Canada. *Applied Economics*, 43(26), 3907-3917. doi:10.1080/00036841003742579
- [9] Jimenez, D., & Smith, P. C. (2005). Decentralization of

- Health Care and Its Impact on Health Outcomes. *Theoretical and Applied Economics*. Retrieved from <http://www.york.ac.uk/media/economics/documents/discussionpapers/2005/0510.pdf>
- [10] Kang, Y., Cho, W., & Jung, K. (2012). Does Decentralization Matter in Health Outcomes? Evidence from 22 OECD Unbalanced Panel Data for 1995–2005. *International Review of Public Administration*, 17(1), 1-32. doi:10.1080/12264431.2012.10805215
- [11] Banting, K. G., & Corbett, S. (Eds.). (2002). Health Policy and Federalism: A Comparative Perspective on Multi-Level Governance. Kingston and Montreal: School of Policy Studies and McGill-Queen's University Press.
- [12] Nixon, J., & Ulmann, P. (2006). The Relationship Between Health Care Expenditure and Health Outcomes. *The European Journal of Health Economics*, 7(1), 7-18. doi:10.1007/s10198-005-0336-8
- [13] Tangcharoensathien, V., Patcharanarumol, W., Ir, P., Aljunid, S. M., Mukti, A. G., Akkhavong, K., . . . Mills, A. (2011). Health-Financing Reforms in Southeast Asia: Challenges in Achieving Universal Coverage. *The Lancet*, 377(9768), 863-873. doi:10.1016/s0140-6736(10)61890-9
- [14] Barenberg, A., Basu, D., & Soylyu, C. (2015). The Effect of Public Health Expenditure on Infant Mortality: Evidence from a Panel of Indian States, 1983-84 to 2011-12.
- [15] Bokhari, F. A., Gai, Y., & Gottret, P. (2006). Government Health Expenditures and Health Outcomes. *SSRN Electronic Journal SSRN Journal*. doi:10.2139/ssrn.992481
- [16] Rezaei, S., Jamshidi, K., & Moradi, K. (2015, April). Impact of Socioeconomic and Health System Factors on Infant Mortality Rate in Organization of the Petroleum Exporting Countries (OPEC): Evidence from 2004 to 2013, 3(2-2), 16th ser.
- [17] Gavurová, B., & Vagašová, T. (2015). The Significance of Amenable Mortality Quantification for Financing the Health System in Slovakia. *Procedia Economics and Finance*, 32, 77-86. doi:10.1016/s2212-5671(15)01367-2
- [18] Jaba, E., Balan, C. B., & Robu, I. (2014). The Relationship between Life Expectancy at Birth and Health Expenditures Estimated by a Cross-country and Time-series Analysis. *Procedia Economics and Finance*, 15, 108-114. doi:10.1016/s2212-5671(14)00454-7
- [19] Soto, V. E., Farfan, M. I., & Lorant, V. (2012). Fiscal Decentralisation and Infant Mortality Rate: The Colombian Case. *Social Science & Medicine*, 74(9), 1426-1434. doi: 10.1016/j.socscimed.2011.12.051
- [20] Anyanwu, J. C., & Erhijakpor, A. E. (2009). Health Expenditures and Health Outcomes in Africa. *African Development Review*, 21(2), 400-433. doi:10.1111/j.1467-8268.2009.00215.x
- [21] Yaqub, J. O., Ojapinwa, T. V., & Yussuff, R. O. (2012). Public Health Expenditure and Health Outcome in Nigeria: The Impact of Governance. *European Scientific Journal*, 8(13). doi: ISSN: 1857 - 7881 (Print) e - ISSN 1857-7431.
- [22] Asandului, L., Roman, M., & Fatulescu, P. (2014). The Efficiency of Healthcare Systems in Europe: A Data Envelopment Analysis Approach. *Procedia Economics and Finance*, 10, 261-268. doi:10.1016/s2212-5671(14)00301-3
- [23] Morton, A., Thomas, R., & Smith, P. C. (2016). Decision Rules for Allocation of Finances to Health Systems Strengthening. *Journal of Health Economics*, 49, 97-108. doi: 10.1016/j.jhealeco.2016.06.001
- [24] Kim, T. K., & Lane, S. R. (2013). Government Health Expenditure and Public Health Outcomes: A Comparative Study among 17 Countries and Implications for US Health Care Reform, 3(9).
- [25] Hanmer, L., Lensink, R., & White, H. (2003). Infant and Child Mortality in Developing Countries: Analyzing The Data for Robust Determinants. *Journal of Development Studies*, 40(1), 101-118. Doi:10.1080/00220380412331293687
- [26] Shetty, A., & Shetty, S. (2014, July). *The Correlation of Health Spending and Infant Mortality Rate in Asian Countries*, 1(2), 100. doi:0.5455/2349-3291.ijcp20140808
- [27] Farahani, M., Subramanian, S. V., & Canning, D. (2010). Effects of State-Level Public Spending on Health on The Mortality Probability in India. *Health Economics*, 19(11), 1361-1376. doi:10.1002/hec.1557
- [28] Balabanova, D., Mills, A., Conteh, L., Akkazieva, B., Banteyerga, H., Dash, U., . . . Mckee, M. (2013). Good Health at Low Cost 25 Years On: Lessons for The Future of Health Systems Strengthening. *The Lancet*, 381(9883), 2118-2133. doi:10.1016/s0140-6736(12)62000-5
- [29] Chowdhury, A. M., Bhuiya, A., Chowdhury, M. E., Rashed, S., Hussain, Z., & Chen, L. C. (2013). The Bangladesh paradox: Exceptional health achievement despite economic poverty. *The Lancet*, 382(9906), 1734-1745. doi:10.1016/s0140-6736(13)62148-0
- [30] Powell-Jackson, T., Mazumdar, S., & Mills, A. (2015). Financial incentives in health: New evidence from India's Janani Suraksha Yojana. *Journal of Health Economics*, 43, 154-169. doi: 10.1016/j.jhealeco.2015.07.001
- [31] Dussault, G., & Dubois, C. (2004). Human Resources for Health Policies: A Critical Component in Health Policies. *Hum Resource Health* 2004; 1:1. <http://www.human-resources-health.com/content/1/1/1> (accessed July 10, 2016).
- [32] Gupta, N., & Dal Poz, M., (2009). Assessment of Human Resources for Health Using Cross-National Comparison of Facility Surveys in Six Countries. *Human Resources for Health*. 2009, 7: 22-10.1186/1478-4491-7-22.
- [33] Andrei, T., Mitrut, C., Constantin, D. L., & Oancea, B. (2009). The Impact of Decentralization on Public Health System's Results. The Case of Romania. *Theoretical and Applied Economics*, 10(539) (10(539)), 17-22. Electronic copy available at: <http://ssrn.com/abstract=1502108>
- [34] Nelson, R. (2012). Combating Global Health Worker Shortages. *American Journal of Nursing*, 112(12), 17. doi: 10.1097/01.naj.0000423494.77404.42
- [35] Middleberg, M. I., Rangarao, S., Hoemeke, L., Powers, M., Stillwell, B., & Tulenko, K. (2013). 61-92. doi:978-1-939029-08. *New York University Global Health Research* 2013. Appears in collections "Transforming the Global Health Workforce" by Marilyn A. DeLuca, PhD, RN and Agnes Soucat, MD, MPH, PhD, Editors.
- [36] Bhutta, Z., Lassi, Z., Pariyo, G., & Huico, L. (2010). Global Experience of Community Health Workers for Delivery of Health Related Millennium Development Goals: A Sys-

- tematic Review, Country-Case Studies, and Recommendations for Integration into Health Systems. *WHO Global Health Workforce Journal*. Available at http://www.who.int/workforcealliance/knowledge/publications/alliance/Global_CHW_web.pdf.
- [37] Hangoro, C., & McPake, B., (2004). How to Bridge the Gap in Human Resources for Health? *The Lancet*. 2004, 364: 1451-1456. doi:10.1016/S0140-6736(04)17229-2.
- [38] Guilbert, J. (2006). The World Health Report 2006: Working Together for Health. *Education for Health: Change in Learning & Practice*,19(3), 385-387. doi:10.1080/13576280600937911
- [39] Chen, L., Evans, T., et al (2004). Human Resources for Health: Overcoming the Crisis. *The Lancet*. 2004, 364: 1984-1990. doi:10.1016/S0140-6736(04)17482-5.
- [40] Gupta, N., Maliqi, B., França, A., Nyongator, F., Pate, M. A., Sanders, D., . . . Daelmans, B. (2011). Human Resources for Maternal, Newborn and Child Health: From Measurement and Planning to Performance for Improved Health Outcomes. *Human Resources for Health*,9(1). doi:10.1186/1478-4491-9-16
- [41] Anarfi, J., Quartey, P., & Agyei, J. (2010). Key Determinants of Migration among health Professionals in Ghana. *Development Research on Migration, Globalization, and Poverty*. Available at http://www.migrationdrc.org/publications/research_reports/Quartey_et_al_Health_workers.pdf.
- [42] Foreit J., & Raifman, S. (2011). Increasing Access to Family Planning (FP) and Reproductive Health (RH) Services through Task-Sharing between Community Health Workers (CHWs) and Community Mid-Level Professionals in Large-Scale Public Sector Programs. Washington, DC. 2011 *Population Health Council Journal*. Available at http://www.hciproject.org/sites/default/files/increasing%20access%20to%20FP%20and%20RH%20through%20task-sharing_A%20Literature%20Review.pdf.
- [43] Dubois, C.A., & McKee, M. (2006). Cross-National Comparisons of Human Resources for Health - What Can We Learn. *Health Economics, Policy and Law*. 2006, 1: 59-78. doi:10.1017/S1744133105001027.
- [44] Anand, S., & Bärnighausen, T. (2004). Human Resources and Health Outcomes: Cross-Country Econometric Study. *The Lancet*,364(9445), 1603-1609. doi:10.1016/s0140-6736(04)17313-3.
- [45] Robinson, J, Wharrad, H. (2005). The Relationship between Attendance At Birth and Maternal Mortality Rates: An Exploration of United Nations' Data Sets Including the Ratios of Physicians and Nurses to Population, 32 GNP per capita and Female Literacy. *J Adv Nurs* 2005; 34:445-55.
- [46] Cochrane, A.L., Leger, A.S., Moore, F., (2005). Health Service 'Input' and Mortality 'Output' in Developed Countries. *Journal of Epidemiology Community Health* 1978; 32:200-05
- [47] Kim, K., & Moody, P.M. (2005). More Resources Better Health? A Cross-National Perspective. *Soc Sci Med* 1992; 34:837-42.
- [48] Hertz, E., Hebert, JR., Landon, J., (2006). Social and Environmental Factors and Life Expectancy, Infant Mortality, and Maternal Mortality Rates: Results 36 of a Cross-National Comparison. *Soc Sci Med* 2006; 39:105-14.
- [49] Speybroeck, N., Ebener, S., Sousa, A., Paraje, G., Evans, D., Prasad, A., (2006). Inequality in Access to Human Resources for Health: Measurement Issues. 2006, *Geneva Health Journal: World Health Organization*. Available at http://www.who.int/hrh/documents/whr06_background_papers/en/index.html
- [50] Anand, S., & Bärnighausen, T. (2007). Health Workers and Vaccination Coverage in Developing Countries: An Econometric Analysis. *The Lancet*,369(9569), 1277-1285. doi:10.1016/s0140-6736(07)60599-6
- [51] Farahani, M., Subramanian, S., & Canning, D. (2009). The Effect of Changes in Health Sector Resources on Infant Mortality in The Short-Run and The Long-Run: A Longitudinal Econometric Analysis. *Social Science & Medicine*,68(11), 1918-1925. doi: 10.1016/j.socscimed.2009.03.023.
- [52] Ali, K., Alolayyan, M., & Idris, F. (2012). The Impact of Total Quality Management (TQM) on Hospital Performance in The Jordanian Hospitals: An Empirical Evidence (Medical Leader's Perspectives). *Global Conference on Operations and Supply Chain Management (GCOM2012) Proceedings*, 12-13 March 2012. Bandung, Indonesia.
- [53] Yadav, P. (2015). Health Product Supply Chains in Developing Countries: Diagnosis of the Root Causes of Underperformance and an Agenda for Reform. *Health Systems & Reform*,1(2), 142-154. doi:10.4161/23288604.2014.968005
- [54] Abu-Kharmeh, S. (2012). Evaluating The Quality of Healthcare Services in The Hashemite of Kingdom of Jordan. *International Journal of Business and Management*, 7(4), 195-205
- [55] Hong, P., Kim, S., & Dobryzkowski, D. (2012). Healthcare Supply Chain for Competitive Advantage: The Case for Korea. 5th Annual Symposium and Workshop in Global Supply Chains, March 8-10, 2012, Toyo, Japan.
- [56] Toba, S., Tomasini, M., & Yang, H. (2008). Supply chain management in hospitals: a case study. *California Journal of Operations Management*, 6(1), 49-55.
- [57] Chopra, S., & Meindl, P. (2007). Supply Chain Management: Strategy, Planning and Operation. *Pearson Education, New Jersey*.
- [58] Ashcroft, J. (2006). Eight Dimensions of Supply Chain Synchronization, National Business to Business Center, International Digital Laboratory. University of Warwick, UK.
- [59] Omar, R. Ramayah, T., Lo, M., Sang, T., & Siron, R. (2010). Information Sharing, Information Quality and Usage of Information Technology (IT) Tools in Malaysian Organizations. *African Journal of Business Management*, 4(12), 486-499.
- [60] Syahrir, I., S., & Vanany, I. (2015). Healthcare and Disaster Supply Chain: Literature Review and Future Research. *Procedia Manufacturing*,4, 2-9. doi: 10.1016/j.promfg.2015.11.007
- [61] Bigdeli, M., Jacobs, B., Tomson, G., Laing, R., Ghaffar, A., Dujardin, B., & Damme, W. V. (2012). Access to Medicines from A Health System Perspective. *Health Policy and Planning*,28(7), 692-704. doi:10.1093/heapol/czs108

- [62] Al-Taher, A. (2008). The Impact of Financial Resources on Health Services Performance: Ministry of Health, Khartoum State. Unpublished master's thesis. Institute of Development Studies and Research Institute, University of Khartoum-Sudan.
- [63] Belciug, S., & Gorunescu, F. (2015). Improving Hospital Bed Occupancy and Resource Utilization Through Queuing Modeling and Evolutionary Computation. *Journal of Biomedical Informatics*, 53, 261-269. doi: 10.1016/j.jbi.2014.11.010
- [64] Sasabuchi, Y., Yasunaga, H., Matsui, H., Lefor, A. K., Horiguchi, H., Fushimi, K., & Sanui, M. (2015). The Volume-Outcome Relationship in Critically Ill Patients in Relation to the ICU-to-Hospital Bed Ratio*. *Critical Care Medicine*, 43(6), 1239-1245. doi:10.1097/ccm.0000000000000943
- [65] Dara, S. I., & Afessa, B. (2005). Intensivist-To-Bed Ratio: Association with Outcomes in The Medical Icu. *CHEST*, 126(6), 567-572. <http://dx.doi.org/10.1378/chest.128.2.567>
- [66] McKee, M. (2004). What Are the Lessons Learnt by Countries That Have Had Dramatic Reductions of Their Hospital Bed Capacity? Copenhagen, World Health Organization, 2003 (<http://www.euro.who.int/document/hen/hospitalbeds.pdf>, accessed 26 May 2004).
- [67] Asfaw, A., Froberg, K., James, K.S., & Juting, J., (2004). Modelling The Impact of Fiscal Decentralization On Health Outcomes: Empirical Evidence from India. ZEF Discussion Paper 87, Bonn.
- [68] Castillo-Laborde, C. (2011). Human Resources for Health and Burden of Disease: An Econometric Approach. *Human Resources for Health*, 9(1). doi:10.1186/1478-4491-9-4
- [69] Correa-Burrows, P. (2012). Out-Of-Pocket Health Care Spending by the Chronically Ill in Chile. *Procedia Economics and Finance*, 1, 88-97. doi:10.1016/s2212-5671(12)00012-3
- [70] Cylus, J., & Papanicolas, I. (2015). An Analysis of Perceived Access to Health Care in Europe: How Universal Is Universal Coverage? *Health Policy*, 119(9), 1133-1144. doi: 10.1016/j.healthpol.2015.07.004
- [71] Enejì, A. (2013). Health Care Expenditure, Health Status and National Productivity in Nigeria (1999-2012). *Journal of Economics and International Finance*, 5(7), 258-272. doi:10.5897/jeif2013.0523
- [72] Habibi, N., Huang, C., Miranda, D., Murillo, V., Ranis, G., Sarkar, M., & Stewart, F., (2001). Decentralization in Argentina. Center Discussion Paper No. 825, Economic Growth Centre, Yale University
- [73] Hall, J. P. (2013). The Tale of Out-Of-Pocket Spending On Health Care. *The Medical Journal of Australia*, 199(7), 442-443. doi:10.5694/mja13.10844
- [74] Issa, H., & Ouattara, B. (2005, May). *The Effect of Private and Public Health Expenditure on Infant Mortality Rates: Does the Level of Development Matters?*
- [75] Khaleghian, P., (2003). Decentralization and Public Services: The Case of Immunization. *World Bank Policy Research Working Paper No. 2989*, Washington DC.
- [76] Kumar, A., Özdamar, L., and Zhang, C.N. (2008). Supply Chain Redesign in The Healthcare Industry of Singapore. *International Journal of Supply Chain Management* 13(2), pp. 95 - 103.
- [77] Mahal, A., Srivastava, V., & Sanan, D., (2000). Decentralization and Its Impact on Public Service Provision On Health and Education Sectors: The Case of India in: Dethier J (Ed.), *Governance, Decentralization and Reform in China, India and Russia*, Kluwer Academic Publishers and ZEF, London.
- [78] Meessen, B., Damme, W. V., Tashobya, C. K., & Tibouti, A. (2006). Poverty and user fees for public health care in low-income countries: Lessons from Uganda and Cambodia. *The Lancet*, 368(9554), 2253-2257. doi:10.1016/s0140-6736(06)69899-1
- [79] Palmer, N., Mueller, D.H., Gilson, L., Mills, A., & Haines, A., (2004). Health Financing to Promote Access in Low Income Settings—How Much Do We Know? *The Lancet* 364: 1365-70.
- [80] Sidney, S., Quesenberry, C. P., Jaffe, M. G., Sorel, M., Nguyen-Huynh, M. N., Kushi, L. H., . . . Rana, J. S. (2016). Recent Trends in Cardiovascular Mortality in the United States and Public Health Goals. *JAMA Cardiology*. doi:10.1001/jamacardio.2016.1326
- [81] Tobe, M., Stickley, A., Rosario, R. B., & Shibuya, K. (2012). Out-of-pocket medical expenses for inpatient care among beneficiaries of the National Health Insurance Program in the Philippines. *Health Policy and Planning*, 28(5), 536-548. doi:10.1093/heapol/czs092
- [82] Van Doorslaer, E., O'Donnell, O., Rannan-Eliya, R.P., et al., (2007). Catastrophic Payments for Health Care in Asia. *Health Economics* 16: 1159-84.
- [83] Wagstaff, A., & Van Doorslaer, E., (2003). Catastrophe and Impoverishment in Paying for Health Care: With Applications to Vietnam 1993-1998. *Health Economics* 12: 921-34.
- [84] Waters, H. R., & Hussey, P. (2004). Pricing Health Services for Purchasers—A Review of Methods and Experiences. *Health Policy*, 70(2), 175-184. doi: 10.1016/j.healthpol.2004.04.012
- [85] Whitehead, M., Dahlgren, G., Evans, T., (2001). Equity and Health Sector Reforms: Can Low-Income Countries Escape the Medical Poverty Trap? *The Lancet* 358: 833-6.
- [86] World Health Organization, (2003b). National Health Accounts Glossary of Terms and Financing Flows. Online at: <http://www.who.int/nha/glossary/en/>.
- [87] Yee, E. (2001) "The Effects of Fiscal Decentralization on Health Care in China," *University Avenue Undergraduate Journal of Economics*: Vol. 5: ISSN. 1, Article 5. Available at: <http://digitalcommons.iwu.edu/uauje/vol5/iss1>

7 APPENDIX

Table 1.0: Indicators and Statistics Used by the Researchers, 1980-2012

Year	Infant Mortality Rate per 1,000 live births	Total Government Health Expenditure*	Bed Capacity per 10,000 Population	Government Doctors
1980	6.2	₱1,622	18.2	7259
1981	6.1	₱1,734	13	7378
1982	6.1	₱2,136	17.5	7605
1983	6.3	₱2,485	16.3	8282
1984	5.9	₱2,308	16.9	8315
1985	6.1	₱2,802	15.5	8524
1986	5.8	₱3,570	15.9	8817
1987	5.8	₱4,100	15.1	8817
1988	5.5	₱5,564	16.8	9137
1989	5.4	₱6,488	14.1	9546
1990	5.1	₱8,623	14.4	7431
1991	4.7	₱10,158	12.8	7328
1992	4.9	₱35,861	13.7	7107
1993	4.8	₱39,597	10.7	6913
1994	4.7	₱47,358	10.9	2486
1995	4.8	₱54,602	11.8	2029
1996	4.9	₱62,205	11.7	3119
1997	4.7	₱76,206	11.4	2582
1998	4.8	₱87,078	11.1	2848
1999	4.7	₱93,521	11.2	2948
2000	4.8	₱103,424	10.6	2943
2001	4.9	₱113,454	10.1	2957
2002	4.9	₱117,180	10.6	3021
2003	4.8	₱148,660	10.4	3064
2004	4.9	₱165,247	9.9	2969
2005	5.1	₱180,772	10.2	2967
2006	5.1	₱216,413	10.7	2955
2007	5	₱234,321	10.5	3047
2008	5.1	₱288,243	10.4	2838

2009	5.2	₱342,164	10.6	2901
2010	5.2	₱379,322	10.6	2682
2011	5.3	₱416,480	10.7	2944
2012	5.3	₱471,108	10.5	2983

Source: Department of Health

*Note: Total Government Health Expenditure is expressed in Million Philippine Peso (at current prices)

Table 1.1: Trends in Health Care Expenditure, 1995-2005

SELECTED INDICATORS	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
THE per capita (in Php at current prices)	961	1099	1226	1288	1397	1493	1484	1461	1804	1978	2120
THE per capita (in Php at 1980 prices)	411	431	454	435	442	453	425	405	472	494	507
THE (as % of GDP)	3.4	3.5	3.6	3.5	3.5	3.4	3.2	3.0	3.4	3.4	3.3
Health Expenditure by source of funds (as of % of THE)											
Government	35.0	36.0	38.0	39.1	39.2	40.6	36.2	31.0	31.1	30.7	28.7
National	19.2	19.7	20.3	20.8	20.7	21.2	17.1	15.8	15.2	15.7	15.8
Local	15.9	16.2	17.6	18.4	18.5	19.3	19.1	15.2	15.9	15.0	12.9
Social Insurance	4.5	5.0	5.1	3.8	5.0	7.0	7.9	9.0	9.1	9.6	11.0
Philhealth (Medicare)	4.2	4.7	4.8	3.5	4.8	6.8	7.7	8.8	8.6	9.4	10.7
Employees' Compensation (SSS & GSIS)	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.5	0.3	0.4
Private Sources	59.6	58.1	56.1	56.1	54.5	51.2	54.5	58.6	58.6	58.5	59.1
Out-of-Pocket Payments (OOP)	50.0	48.3	46.5	46.3	43.3	40.5	43.9	46.8	46.9	46.9	48.4
Private Insurance	1.8	1.7	0.9	2.0	2.2	2.0	2.5	2.9	2.3	2.5	2.4
HMOs	2.0	2.3	2.5	2.9	4.0	3.8	3.1	3.6	4.7	4.3	3.9
Employer-based Plans	4.9	5.0	4.4	4.0	4.0	3.7	3.9	4.1	3.4	3.6	3.2
Private Schools	1.0	0.9	0.8	0.9	1.0	1.1	0.2	1.3	1.3	1.2	1.2
Others	0.8	0.9	0.9	1.0	1.3	1.3	1.3	1.4	1.2	1.2	1.2
THE (in Billion Php at 1995 prices)	65.7	70.5	76.0	74.6	77.6	81.5	78.0	76.0	90.3	96.5	101.0
GDP (in Billion Php at 1995 prices)	1906	2017	2122	2110	2181	2312	2352	2457	2578	2742	2878
Total Government Spending (as % of GDP)	19.9	22.1	23.2	23.9	23.2	19.8	19.8	17.8	18.0	17.1	16.7
Government Health Spending (as % of Total Government Spending)	6.1	5.8	5.9	5.8	5.9	7.0	5.9	5.1	5.9	6.1	5.7
Government Health Spending (as % of GDP)	1.2	0.3	1.4	1.4	1.4	1.4	1.2	0.9	1.1	1.0	1.0

Source: Philippine National Health Accounts, 2005, NSCB

Table 1.2: Government Health Expenditure, by use of funds (% of THE), 1995-2005

Year	National			Local			Total		
	Personal	Public Health	Others	Personal	Public Health	Others	Personal	Public Health	Others
1995	10.7	3.7	4.8	4.3	7.9	3.7	15.0	11.7	8.4
1996	11.7	4.4	3.6	4.4	7.9	3.9	16.1	12.3	7.5
1997	11.0	4.4	4.9	4.5	9.0	4.2	15.5	13.4	9.1
1998	12.8	4.3	3.7	5.0	8.9	4.4	17.8	13.3	8.1

1999	13.3	4.0	3.5	4.9	8.7	4.8	18.1	12.7	8.4
2000	13.5	4.5	3.3	4.7	9.3	5.3	18.2	13.8	8.6
2001	10.1	4.4	2.6	5.0	9.2	4.9	15.1	13.6	7.4
2002	9.8	3.4	2.6	3.7	6.9	4.6	13.5	0.3	7.2
2003	9.7	2.7	2.8	4.3	7.6	4.1	13.9	10.3	6.9
2004	9.5	3.3	2.9	3.8	6.8	4.4	13.3	10.1	7.3
2005	8.5	5.1	2.2	3.3	6.0	3.6	11.8	11.1	5.8

Source: Philippine National Health Accounts, 2005, NSCB

Table 1.3: Government Health Expenditure, by type of expenditure (% of THE), 2005

Expenditure Item	National		Local	Total by Type
	DOH & Attached Agencies	Other NGO Agencies		
Salaries	3.87	1.9	8.87	14.63
Maintenance & Operating Expenses	3.71	1.45	3.73	8.89
Capital Outlay	0.04	0.01	0.27	0.33
Total by Source	7.61	3.37	12.87	23.85

Source: Philippine National Health Accounts, 2005, NSCB

Note: Excludes expenditure on foreign assisted projects (FAPS), which could not be disaggregated by expenditure type. FAPS were 4.87% of THE in 2005. Total by type in 2005 including FAPS is 28.7.

IJSER


Figure 2: Trends in the Number of Graduates of Different Professions in the Philippines, 1998-2008

Source: CHED, 2009

Note: PT = Physical Therapist; OT = Occupational Therapist; SP = Speech Pathologist

Table 2.0: Minimum number of Health Workers required in Government & Private Hospitals based on DOH-BHFS Licensing requirements, 2010

Health Worker Type / Level of Health Facility	Government		Private	
	No.	%	No.	%
A. Physicians	4818	100	5676	100
Level 1	666	14	878	15
Level 2	1798	37	1541	27
Level 3	526	11	1952	34
Level 4	1828	38	1305	23



B. Nurses	19349	100	19584	100
Level 1	2172	11	1960	10
Level 2	5338	28	4193	21
Level 3	1816	9	6405	33
Level 4	10023	52	7026	36
C. PTs/OTs	54	100	67	100
Level 1	0	0	0	0

Level 2	0	0	0	0
Level 3	0	0	0	0
Level 4	54	100	67	100
D. Dentists	86	100	236	100
Level 1	0	0	0	0
Level 2	0	0	0	0
Level 3	32	37	169	72
Level 4	54	63	67	28

Source: Department of Health, 2010

Note: The computation here is based on the authorized bed capacity indicated in the following: DOH A0 No. 70-A Series of 2002; DOH A0 No. 147 Series of 2004; and DOH A0 No. 29 Series of 2005.

Figure 2: Ratio of Government Doctors per 10,000 Population, 1990-2008

(Source: NSCB, 2009)

IJSER

Figure 2: Ratio of Government Doctors per 10,000 Population, 1990-2008





Figure 3: Number of in-ern-and vate pitals Total lation, 2007



Source:
ment of

Depart-
Health

Table 3: Distribution of Licensed Government and Private Hospitals and Beds by Region, 2007

Region	Popl'n.	Primary Care Hospitals		Secondary Care Hospitals		Tertiary Care Hospitals		Total Hospitals	Total Beds
		Government	Private	Government	Private	Government	Private		
<i>Philippines</i>	<i>88.6</i>	<i>272</i>	<i>395</i>	<i>26</i>	<i>111</i>	<i>61</i>	<i>85</i>	<i>695</i>	<i>43670</i>
NCR	11.6	18	58	8	14	24	32	55	12972
CAR	1.5	11	8	0	0	1	0	37	1451
Ilocos (I)	4.5	15	28	1	6	6	5	39	2030
Cagayan Valley (II)	3.1	17	10	0	3	2	0	35	1649
C. Luzon (III)	9.7	38	77	1	16	6	6	58	3628
CALABARZON (IV-A)	11.7	31	83	3	23	2	9	66	2794
MIMAROPA (IV-B)	2.6	13	6	0	0	0	0	34	1553
Bicol (V)	5.1	16	18	2	10	4	2	50	2411
W. Visayas (VI)	6.8	29	7	2	3	3	8	59	3085
C. Visayas (VII)	6.4	24	14	0	8	4	9	60	3250
E. Visayas (VIII)	3.9	15	10	1	1	1	1	47	2030
Zamboanga Peninsula (IX)	3.2	7	13	0	4	1	1	28	1274
N. Mindanao (X)	4	12	21	3	9	2	5	34	1775
Davao Region (XI)	4.2	5	17	2	6	2	4	16	1053
SOCCSARGEN (XII)	3.8	7	20	0	5	3	3	25	1165
CARAGA (XIII)	2.3	8	3	3	3	0	0	32	990
ARMM	2.8	6	1	0	0	0	0	20	560

Population Source: http://www.ncsb.gov.ph/sectat/d_popn.
Hospital Data Source: Bureau of Health Facilities, DOH, 2009

Table 4.0: Initial Regression Results

Dependent Variable: IMR
 Method: Least Squares
 Date: 11/07/16 Time: 09:25
 Sample: 1980 2012
 Included observations: 33

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	2.663889	0.384923	6.920580	0.0000
TGE	1.63E-06	4.95E-07	3.299593	0.0026
BC	0.173566	0.037838	4.587106	0.0001
GD	4.15E-05	3.73E-05	1.112605	0.2750
R-squared	0.727775	Mean dependent var		5.239394
Adjusted R-squared	0.699614	S.D. dependent var		0.508638
S.E. of regression	0.278772	Akaike info criterion		0.396364
Sum squared resid	2.253693	Schwarz criterion		0.577759
Log likelihood	-2.540006	Hannan-Quinn criter.		0.457398
F-statistic	25.84317	Durbin-Watson stat		1.333395
Prob(F-statistic)	0.000000			

Table 4.1: BG Test (Initial)

Breusch-Godfrey Serial Correlation LM Test:

F-statistic	5.960874	Prob. F(1,28)	0.0212
Obs*R-squared	5.792220	Prob. Chi-Square(1)	0.0161

Table 4.2: Heteroskedasticity ARCH Test (Initial)

Heteroskedasticity Test: ARCH

F-statistic	0.070107	Prob. F(1,30)	0.7930
Obs*R-squared	0.074606	Prob. Chi-Square(1)	0.7847

Table 4.3: Regression Results (LOG)

Dependent Variable: IMR
 Method: Least Squares
 Date: 11/07/16 Time: 09:47
 Sample: 1980 2012
 Included observations: 33

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	18.95047	4.993110	3.795324	0.0008
TGE	3.65E-06	4.92E-07	7.430272	0.0000
BC	0.453948	0.211725	2.144046	0.0412
GD	-2.22E-05	2.99E-05	-0.744228	0.4632
LOG(TGE)	-0.437473	0.070840	-6.175548	0.0000
LOG(BC)	-6.023467	2.985596	-2.017509	0.0537
R-squared	0.891873	Mean dependent var		5.239394
Adjusted R-squared	0.871849	S.D. dependent var		0.508638
S.E. of regression	0.182083	Akaike info criterion		-0.405743
Sum squared resid	0.895164	Schwarz criterion		-0.133650
Log likelihood	12.69475	Hannan-Quinn criter.		-0.314192
F-statistic	44.54109	Durbin-Watson stat		1.914776
Prob(F-statistic)	0.000000			

Table 4.4: BG Test (LOG)

Breusch-Godfrey Serial Correlation LM Test:

F-statistic	0.003219	Prob. F(1,26)	0.9552
Obs*R-squared	0.004086	Prob. Chi-Square(1)	0.9490

Table 4.5: Heteroskedasticity ARCH Test (LOG)

Heteroskedasticity Test: ARCH

F-statistic	0.020313	Prob. F(1,30)	0.8876
Obs*R-squared	0.021653	Prob. Chi-Square(1)	0.8830