The Implementation of Electronic Health Record Systems: The factors influencing the successful implementation of Electronic Health Record Systems.

Mayowa Olayemi Akomolafe

Abstract— The Electronic Health Record is a very important technology to improve the health care delivery, but the implementation has been challenging. However despite of all the benefits, physicians are not showing interest in adopting the technology and to compete well in today's market all health institutions must explore the opportunities of the new technology.

The aim of this paper is to critically analyze the factors which influence the successful implementation of the EHR system. To achieve the successful implementation of EHR there is need for involvement and participation of all the relevant stakeholder groups in the health sector. Involvement and the dedicated attitude of users is very important to achieve implementation success. A good leadership skill and change management strategy is also very important to manage people. The end users should be communicated too as early as possible to involve them in implementation.

Assessing the workflow and ensuring a continuous workflow in the organization is very important. Interoperability is one of the major barriers that must be addressed in implementing an EHR. Staff training on their new job role will facilitate implementation and improve work efficiency and this will help to minimize time spent. Finally, evaluating the organizational needs is also very important in implementation.

Index Terms— Ambulatory care, adoption, interoperability, patient's referral, system monitoring, workflow, workers resistance.

1. INTRODUCTION

The implementation of Electronic Medical Record is very important to improve health care delivery and increases patients' safety (Hillestad ,2005). It is also important to meet the challenges of documenting, communicating and evaluating effectively in the health system, therefore information and communication system should be implemented (Blobel, 2004).

The Institute of Medicine said Electronic Health Records (EHRs) must be implemented widely to achieve a better health delivery service and to provide a better safety for patients (Institute of Medicine, 2001; Institute of Medicine, 2006 and Bates et al, 2003) and the adoption of EHRs will improve ambulatory care in term of cost (Hillestad ,2005 and Miller et al, 2005). Adopting the EHR will aid advanced examination potential and provide better assessment and improved quality care (Jensen et al, 2009). Also the National Alliance for Primary Care Informatics said by the time Electronic health record is widely adopted, it will provide better health care safety and will aid research (Bates et al, 2003). However despite of all the benefits, physicians are not showing interest in adopting the technology (Massaro, 1993 and Loomis et al, 2002) and to compete well in today's

market all organizations must explore the opportunities of new technologies (Lauer et al, 2000).

Any Information and Communication Technology ICT used in the health care system is assumed to be contributing to the increase in quality of health care, therefore the implementation should be subject to incessant quality improvement (Talmon, 2006).

The potentials of Health Information Technology has been said to be numerous in health delivery and in improving health care (Blumenthal and Glaser, 2007). Surprisingly, MGH Institute for Health Policy (2006), said the adoption of EHR is going at a very slow rate less than what was expected (Cited by Houser and Johnson). Therefore, to explore these opportunities, there are challenges to be faced in implementing and utilizing the technology (Lauer et al, 2000).

Although these benefits are great but they have not superseded the barriers (Giannini and Johnson, 2008).

Although, the major challenges affecting implementation are human factor, organizational and leadership problems (Wyatt, 1995; Dick et al, 1997 and Lorenzi and Riley, 2000). Also a large sum of money will be required to implement an electronic health record (Schmitt and Wofford & Kuperman and Gibson, 2003) which also requires good managerial skill for the implementation to be successful and to ensure its efficient use by health professionals (Poissant, 2005).

2. STAKEHOLDERS

Terry et al (2008) said for the successful implementation of EHR there is need for involvement and commitment of all the relevant stakeholder groups in health. According to Van DerMeijden et al (2003), he said a system has failed if it is completely rejected by the users, although the success of a system cannot actually be defined. He said success can be determined by evaluating the settings where it will be used, the purpose of the system and the stakeholders involved in the use.

Lorenzi et al (1995) said

"the technically best system may be woefully inadequate if its implementation is resisted by people who have low psychological ownership in that system. On the other hand people with high ownership can make a technically mediocre system function fairly well "

A reasonable approach to designing a new system is to involve the end users of the system (Robey, 1979) achieve because to success implementation, human being consideration is very important (Ang et al, 1995; Johnson and Davis, 2004; Fenton et al, 2006 and Adler, 2007). Involvement and dedicated attitudes stakeholders in the health sector are very important in the implementation of electronic health record (Mount et al, 2000). Singleton et al (2007) in his work listed the five stakeholders to be involved in the implementation of EHR as patients, the general public, all professional involved, managers or administrators and the application vendors.

An important success factor is involving people and patients connected to the practice as part of the implementation team and this will ensure that their information needs are taking into consideration (Mount et al, 2000).

EHR must be accepted among doctors, nurses and other health professionals for it to be successfully implemented (Mohd and Mohamad, 2005). Houser and Johnson (2008) said ignorance about EHR and non-cooperation of clinical staff have contributed to the implementation failure of EHR. Moreover, implementation is said to be a failure if employees do not show care about it or they fail to use it to full capacity in other to achieve its full potential (Klein and Sorra, 1996), attitudes of users about the system determines their use (Robey, 1979) and for a technology to be fully accepted it depends on the adjustment of the users to the new environment (Doebbeling et al, 2006).

The managers' attitudes and the users' view about a technology affect their readiness to use it and it will affect the implementation (Leonard-Bartonan and Deschamps, 1988 cited by Edmondson et al, 2001) because successful implementation entails the frequent use of the technology on a daily basis in the establishment (Szulanski, 2000 cited by Edmondson et al, 2001). Therefore, it is very

important to involve staff early enough so as to commit them into the implementation process (Lorenzi et, al, 2009).

It is also important to invite the vendor into the implementation plan (Swanson et al., 1997), for him to understand the existing workflow and organizational needs before implementation (Chin and Krall, 1997; Keshavjee et al, 2006). As a start vendors should be required to build data model using the standard clinical data format (Bates, 2005). However, the technology to be adopted should be simple to install and managed locally and easily adapted to suit the purpose of other health Institutions (Lorenzi et al, 2009).

3. LEADERSHIP AND CHANGE MANAGEMENT

Leadership and change management are the important issues to consider in implementation of any information technology (Lorenzi and Riley, 2004), this is so because the effect of technology is not much in the implementation process (Berg, 2001). Successful implementation requires good communication skill and staff cooperation (Northwest Health Foundation, 2008).

A champion is needed for EHR to be successfully implemented and the champion must be skillful and well respected by his colleagues because he will give support when everybody is getting frustrated (Miller, 2003; Scott et al., 2005; Keshavjee et al., 2006; Adler, 2007; Terry et al, 2008; Northwest Health Foundation, 2008; Ludwick, 2009;Lorenzi et al, 2009). Though, the champion could be a physician, nurse or any of the team members (Terry et al, 2008). Without the champion there will be a great challenge in actualizing the implementation Health dream (Northwest Foundation, 2008).

The use of new technology varies between individuals but for implementation, the use is accessed at the organizational level (Klein and Sorra, 1996). Moreover, the need for an efficient management team is an important factor in ensuring EHR implementation (Ang et al, 1995; Wager et al, 2000, Sanchez et al, 2005, Scott et al, 2005; and Adler, 2007). However, EHR implementation in large practices suffers from

team issue while in small practices suffers from inadequate resources (Adler, 2007). Adler (2007), said human factors especially leadership problem are the main issues to EHR implementation, therefore the management commitment is essential for the success of implementation (Aladwani, 2001).

Lorenzy and Riley (2000) concluded in his opinion that in the success of implementing a project, that the attitude and skill of the developer is 80% and the installing of the technology is 20%.

Change is usually initiated by staffs that work together in ambulatory settings (Lorenzi et al, 2009), and to achieve change it is crucial for the staff to know it is achievable (Lorenzi et al, 2009). Also, a cooperative culture may encourage taking decision together and will make it easy to identify group needs and views (Doebbeling et al, 2006), which are very important and should be taking into consideration by the management (Singarella, 1995; Mazzoleni et al, 1996 and Sanchez et al, 2005). Moreover, all staff should be involved in making the change possible (Lorenzi et al, 2009) and using multidisciplinary approach is important to fully enjoy the implementation of EHR (Doebbeling et al, 2006; ; Ludwick, 2009).

It is essential that all staff involved in the use of the new technology understand and support the objectives of the organization (Sandberg and Targama, 1998 Cited by Nikula, 1999. Eby et al (2000), said staff view about organization readiness accommodate change influences cooperation. However, Aladwani (2001) identified workers resistance as one of the challenges faced by system implementation, and that resistance among staff is usually due to learning new skills and leaving old ones (Northwest Health Foundation, 2008), though the resistance is always temporary among smaller health organizations (Wiener and Fagerhaugh, 1985). However Equity Implementation models assumes that there is no basics for resistance to change, that change can be considered favourable or unfavourable by different individuals (Joshi, 1991; Lauer et al, 2000). Also, Lorenzi and Riley (2000) said resistance to change remains a problem at both individual and organization level and it also limit the level of system performance.

Dedicated leadership, effective communication, balanced and empowered team are important in making change (Sarker and Lee, 2003). Lorenzi et al, (2004) said change management in the health sector is a process by which the sector strengthen and orientates its employees "from an old way of doing things to a new way of doing it". Therefore, it is always good to measure and communicate implementation stages and progress to staff (Adder, 2007). The attitude of potential users must be changed and this can be done using communication as a strategy to educate them about the benefits of introducing the new system (Aladwani, 2001). Also to change users' attitude effective communication can also be used to tell them about how the implementation will enhance their work because workers are not likely to accept what they do not understand how it works (Aladwani, 2001).

Members of staff should be effectively communicated too and they must be involved as part of the successful implementation of the project to enumerate strengths and weaknesses and also, involving them early will encourage their full participation (Amoako-Gyampah and Salam, 2003; Studer, 2005). Edmondson et al (2001), said how a technology is presented to the organization determines how they view it, whether it is interesting or threatening to learn. He also emphasizes the role of a team manager in introducing change and that the leader should introduce face to face method and teamwork when faced with challenges of a routine work in implementing a new technology.

4. FINACIAL MANAGEMENT

Inadequate finances and other limited resources are contributing to delay in implementation of EHR (Houser and Johnson, 2008). The cost of implementation is the most common cited challenge of adopting EHR (Giannini and Johnson, 2008) because implementing EHR requires a huge investment ranging to millions of dollars (Schmitt and Wofford, 2002 cited in Poissant, 2005).

There is a great concern from physicians about the financial strength needed to initiate the adoption of EHR (Houser and Johnson, 2008 & Ludwick, 2009). These costs include the money for training,

acquiring and setting up the technology (Miller and Sim, 2004; ; Ludwick, 2009). Also some unforeseen running cost may arise immediately after implementation due to the decline in care efficiency (Baron et al, 2005).

However physicians are not interested in adopting it because they believed it slows down work, and they earn more money with increased in number of patients they see (Ludwick and Doucette, 2009). Also implementing EHR may not yield a financial return until the third year, and the implementation process requires serious hard work (Adder, 2007), although a study by Grieger et al (2007) said an ambulatory offices can bring a quick profit on investment if affiliated to a university medical centre.

Baron et al, (2005) expressed the need for small practices to be supported financially for them to successfully implement an EHR. He said it is inexperience to conclude that small hospitals will widely adopt EHR without getting financial support for reimbursement models. He also advised on the importance of visiting practices that have adopted the desired system to inquire about the unforeseen costs and the potential vendor problems and to seek solutions to these problems.

5. WORKFLOW ANALYSIS

A survey by American Academy of Family Physicians (AAFP) (2003) noted that out of the 5000 respondents, 54.2 % showed concern that implementing EHR will slow down their work flow and reduce their productivity (cited by Lorenzi et al, 2009). Therefore in implementing a new technology, caution should be taken to avoid increasing clinicians work burden because when providers see EHR has burden their efficiency will be reduced (Doebbeling et al, 2006). Waegemann (2003), said health professionals see computing as an additional work, they prefer more writing than computer imputing. Work flow should be guided by office simplicity, easy access for patient, safety, elaborate documentation and delegating duties (Baron et al, 2005).

Workflow redesigning should be considered as an important issue in EHR implementation (Adder,

2007) because analyzing workflow can force some obvious changes on an organization (Nohr, et al, 2005). However, the medical record institute survey (2004) showed that most practices adopted EHR for it to facilitate their workflow (Cited by Houck, 2006). However, another publication by Advancing Health Information Technology (2004) argued that since health information technology can alter hospital workflow, that it should change it to attain the best level of productivity and job efficiency. Also Adder (2007) said the present office process should be examined and see how it can fit to the implementation workflow design.

Poissant (2005), said integrating EHR into hospital workflow should be given consideration in the implementation planning in other to optimize its use in the clinic. Work flow should be adapted to meet the needs of the organisation (Nanji et al, 2009), EHR that does not fit into the hospital workflow will cause a diminish in financial return (Veterans Health Information Systems and Technology Architecture cited by Lorenzi et, al, 2009). However Baron et al (2005) express concern about implementing EHR and maintaining the practice work flow that have existed for more than 15 years in a short time. Although, he said it is good to review and redesign workflow during EHR implementation.

EHR will alter job roles and change activities in the system though it gives opportunity to improve service performance (Adder, 2007). However a system that limits job performance or reduces benefit is not likely to be happily accepted, even after cautious implementation effort (Robey, 1979).

6. INTEROPERABILITY

US Department of Health and Human Services (2005) describes interoperability as the transfer of patients' medical information among health professionals under strict security and as when due.

Interoperability is one of the major barriers that must be addressed in implementing an EHR (Blobel et al, 2003; Blobel, 2004; Baron et al, 2005; Peter et al, 2005; US Department of Health and Human Services, 2005 and Jasper et al, 2006) and it

is also seen by Giannini & Johnson (2008) as the greatest benefit of implementation. The aim of Continuity Care Record designed by Massachusetts Medical Society and other bodies is to ensure continuity in care, minimize minimal errors and to guaranty to the minimum possible the exchange of patients' data from one provider to the other in a case of patient's referral (Peter et al, 2005). However, Waegemann (2003) said there is lack of standard frame work and motivation to allow interoperability, which should be one of the benefits of EHR.

Most EHR have the problem of interoperating with other applications and the fact remains that most physicians will like to have easy flow of information between them and the laboratory, radiology and to send and request medication lists (Bates, 2005). American Health Information Management Association and American Medical Informatics Association Terminology Classification Policy Task Force, said terminology is necessary to ensure a successful interoperability and in deploying a national health information network (Cited by Giannangelo and Fenton, 2008). Security is a crucial factor for the successful implementation and social adoption of the EHR (Katehakis et al, 2007; Breu et al, 2008). There is also fear about privacy and patient safety (Ludwick, 2009). Interoperable systems' design must be incorporated into a secured EHR for the system to be simple, relevant, flexible and scalable (Blobel, 2000).

7. TRAINING

A study conducted at Alabama hospitals by Houser and Johnson (2008) showed that implementation has been impaired because staff do not have knowledge about EHR and there are no provision yet to train them. Adequate training is a crucial part of EHR implementation (Studer, 2005; Terry et al, 2008) and different training should be given to different job roles (Terry et al, 2008).

Sufficient training and incessant development of staff is very important to facilitate successful implementation of EHR in the health sector (Fleischer, Liker, & Arnsdorf, 1988 cited by Klein and Sorra, 1996; Amoako-Gyampah and

Salam,2003; Baronet al, 2005; Fenton et al, 2006; ; Ludwick, 2009; Nanji et al, 2009). Training should commence as soon as the implementation plan is initiated (Fenton et al, 2006).

Level of computer literacy also influence implementation (Stewart, 2006; Terry et al, 2008) and initial training may vary with software and implementation plan (Adder, 2007). However, some complex skill may require more than one training section (Adder, 2007). Baron et al (2005) said training requirement varies from one team members to another. He said two types of trainings should be given: Some people will be trained as super user for them to be able to set up, maintain the system and perform other administrative works on the system while some are trained as regular (basic) users but will not be able to make alteration to the system or do any administrative work on it. Vendors can help design templates to suit the training style (Adder, 2007).

Adder, (2007) said a busy day is not the best day to commence using the EHR, he said it is better done on a less busy day. Training helps users to adjust to the new system and it brings a positive attitude towards the system (Aladwani, 2001).

8. TIME ISSUES

One of the intended aims of EHR is to manage time but time inefficiency has been a major challenge to its successful implementation (POISSANT, 2005). Implementing EHR requires a lot of time in taking decisions, training staff and in system monitoring (Lorenzi et al, 2009). Time becomes an issue when switching from paper to electronic records, because there will be need to adapt to this new method and the change in workflow (Stewart, 2006).

It will take time to implement EHR (Ludwick, 2009) and physicians do not have enough time for this (Stewart, 2006). Moreover, the initial state that requires transcribing data from paper records to electronic record is frustrating and consumes time (Stewart 2006). To ensure successful implementation of EHR, managers should know and understand how to manage critical factors that will improve time management of documentation (POISSANT, 2005). However, the benefit of EHR

can be enjoyed without spending too much time for clinical works (Pizziferri, 2005).

9. EVALUATION

There should be an expectation before implementation (Studer, 2005; Terry et al, 2008) and with this, all the needs of the health organization will be highlighted and see who will perform each of the tasks involved in the use of the system (Terry et al, 2008) . There should be an expected content of the EHR, like patient data and laboratory results before implementation and they should be incorporated into the system (Lorenzi et, al, 2009). This can be done by getting the necessary data from the existing paper recording system (Lorenzi et, al, 2009).

Implementation is the period between making decision to adopt a new technology and the time the technology is been used for the day to day running of the organization (Klein and Sorra, 1996) and there is need for goal setting before implementation as a way of measuring the success of the project (Adder, 2007).

In preparing for implementation, the effect of the change on individual should be evaluated and examined, if fair on all staff and if not measure should be made to compensate the individuals In form of remuneration for excess work or by improving the system interface to reduce the employee task (Joshi, 1991; Lauer et al, 2000).

It is important to thoroughly investigate vendors before engaging their services to avoid disappointment (Adder, 2007). Poor written software can also cause implementation failure though most failures are caused by human issues (Adder, 2007).

10. CONCLUSION

The implementation of Electronic Health Record is faced with many challenges that could cause its failure if not properly managed. The major factors discussed are stakeholders' influence, leadership and change management, financial management, workflow, interoperability, training, financial issues and evaluation.

Human factor has been discussed as a major issue in implementation but it requires good leadership and communication skills to manage people involved in the implementation successfully. A champion who will act like a leader will be needed from the organization to carry everybody involved in the implementation along by encouraging them. To achieve a successful implementation, change management strategies should also be introduced. Early and effective communication of information about the project with the staff is very important because there cannot be implementation success without the system acceptance by the end users.

Another important factor militating against implementation is finances. The cost of initial implementation, maintenance and money needed for staff training is a major challenge. The interference in workflow will also affect income generation because money is made according to the number of patients seen. The disturbance in workflow especially at the beginning of implementation will reduce work efficiency. However as part of implementation it is important to access the organization workflow and to see how the change will affect it. This will help to prepare for the organization needs in advance. Interoperability is an important desire in the implementation of EHR and it should be incorporated into it. American Health Information Management Association and American Medical Informatics Association Terminology Classification Policy Task Force, said terminology is necessary to ensure a successful interoperability and in deploying national health information network (Cited by Giannangelo and Fenton, 2008).

Training staff for their new job role is very important for successful EHR implementation because the technology cannot operate without human influence. Technology requires full use for it to attain its full potential. Organizations should plan for this because technically incompetent people cannot perform successfully in such atmosphere. The issue of time spent on operating EHR was also mentioned as a concern but with proper training the skill will be perfected over time and will improve job efficiency.

REFERENCES

Aladwani AM, (2001). Change management strategies for successful ERP implementation *Business Process Management Journal*, Vol. 7 No. 3,pp. 266-275. MCB University Press, 1463-7154

Adler KG, (2007). How to successfully navigate your Her implementation. *FAMILY PRACTICE MANAGEMENT* | www.aafp.org/fpm |

Advancing Health Information Technology (2004). Synopsis of a leader dialogue National Institute for Health Care Management NIHCM foundation http://www.nihcm.org/pdf/HITIssueBrief.pdf accessed last on16th jan, 2011.

American Academy of Family Physicians: (2003). AAFP pushes for affordable EMR system. *Family Practice Management Monitor* http://www.aafp.org/fpm/20030200/monitor.

Amoako-Gyampah K and Salam AF, (2004) An extension of the technology acceptance model in an ERP implementation environment Information & Management 41 (2004) 731–745

Ang, J.S.K., Sum, C.C. and Chung, W.F. (1995) 'critical success factors in implementing mrp and government assistance - a singapore context', Information & Management 29(2), pp. 63-70.

Baron RJ, Fabens EL, Schiffman M, Wolf E. (2005). Electronic health records: just around the corner? or over the cliff?. *Ann Intern Med*, 143(3):222-6.

Bates DW, Ebell M, Gotlieb E, Zapp J, Mullins HC.(2003) A proposal for electronic medical records in U.S. primary care. *J Am Med Inform Assoc.*;10:1–10.

Bates DW, (2005). Physicians And Ambulatory Electronic Health Records *Health Affairs*, 24, no. 5 1180-1189

Berg M (2001). "Implementing Information Systems in Health Care Organisations: Myths and Challenges." International Journal of Medical Informatics 64 (2-3): 143-156.

Blobel B, (2000). Advanced tool kits for EPR security *International Journal of Medical Informatics* 60 169–175

Blobel B, Stassinopoulos G, Pharow P (2003). Model-Based Design and Implementation of Secure, Interoperable EHR Systems *AMIA*. Symposium Proceedings – Page 96

Blobel, (2004) Authorisation and access control for electronic health record systems *International Journal of Medical Informatics* 73, 251—257

Blumenthal D and Glaser JP, (2007). Information technology comes to medicine, N. *Engl. J. Med.* 356, pp. 2527–2534

Breu R, Innerhofer-Oberperfler F, Mitterer M, Schabetsberger T, Wozak F (2008) MODEL-BASED SECURITY ANALYSIS OF HEALTH CARE NETWORKS eHealth2008 – *Medical Informatics meets eHealth*. Tagungsband der eHealth2008 – Wien, 29.-30.

Chin, H.L. and Krall, M. (1997) Implementation of a comprehensive computer-based patient record system in Kaiser Permanente's Northwest Region', M D Computing 14(1), pp. 41-45.

Dick RS, Steen EB, Detmer DE, editors. The computer-based patient record: an essential technology for health care. Rev. ed. Washington, DC: *National Academy Press*; 1997.

Doebbeling BN, Vaughn TE, McCoy KD, Glassman P, (2006). Informatics Implementation in the Veterans Health Administration (VHA) Healthcare System to Improve Quality of Care *AMIA* Symposium Proceedings Page – 204

Eby, Lilian T., Adams, Danielle M., Russel, Joyce E. A., and Gaby, Stephen H. (2000). Perceptions of organizational readiness: factor related to employees' reactions to the implementation of team based selling, Human Relation, 53 419-442.

Edmondson AC, Bohmer RM, Pisano GP, (2001). Disrupted Routines: Team Learning and New Technology Implementation in Hospitals:: Administrative Science Quarterly, Published by: Johnson Graduate School of Management, Cornell UniversityStable Vol. 46, No. 4 pp. 685-716 URL:

http://www.jstor.org/stable/3094828 .Accessed: 08/01/2011 07:21.

Fenton, S.H., Giannangelo, K. and Stanfill, M. (2006) 'Essential people skills for EHR implementation success', *J Ahima* 77(6), pp. 60A-60D.

Giannini R and Johnson CM, Running head: (2008) THE ELECTRONIC MEDICAL RECORD

Giannangelo K, and Fenton SH, (2008) An Assessment of Implementation in EMR/EHR Applications RHIA Perspectives in Health Information Management *SNOMED CT Survey:* 5; 7;

Grieger DL, Cohen SH, Krusch DA, (2007). A Pilot Study to Document the Return on Investment for Implementing an Ambulatory Electronic Health Record at an Academic Medical Center Vol. 205, No. 1.

Hillestad R, Bigelow J, Bower A,(200). Can electronic medical record systems transform health care? Potential health benefits, savings, and costs. Health Aff. 24:1103–17.

Houck S, (2006). Migrating Workflows From Paper To Your EHR Carlifonia Academy of Family Physicians Practice Management News

Houser SH, Johnson LA,(2008). Perceptions Regarding Electronic Health Record Implementation among Health Information Management Professionals in Alabama: A Statewide Survey and AnalysisPerspectives in Health Information Management 5; 6

Institute of Medicine. (2001). Crossing the quality chasm: a new health system for the 21st century. National Academy Press,

Institute of Medicine.(2006). Key Capabilities of an Electronic Health Record System. Committee on Data Standards for Patient Safety. Available at: http://www.nap.edu/catalog/10781.html?onpi_newsdoc073103. Accessed January 11, 2011.

Jaspers MW, Knaup P, Schmidt D (2006). The computerized patient record: where do we stand. *Med Inform*, 29-39

Jensen, RE, Chan, KS, Weiner, JP, Fowles, JB and Neale, SM (2009). Implementing Electronic Health Record-based quality measures for developmental screening, official journal of the *American Academy of Pediatrics* vol 124; no 4 Accessed by http://www.pediatrics.org/cgi/content/full/12/4/4/e648 Access date January 11, 2011

Johnson, B. and Davis, V. (2004). Change Management: A Critical Factor in EMR Implementation. Available at: http://www.fortherecordmag.com/archives/ftro30804p32.shtml Accessed last on 16th Jan, 2011.

Joshi K, (1991). A Model of Users'
Perspective on Change: The Case of
Information Systems Technology
Implementation Management Information
Systems Research Center, University of
Minnesota Stable URL:
http://www.jstor.org/stable/249384
Accessed: 07/01/2011 22:34Vol. 15, No. 2,
pp. 229-242

Katehakis DG, Sfakanakis SG, Kavlentakis G, Anthoulakis DN, Anthoulakis M., (2007) Delivering a Lifelong Integrated Electronic Health Record Based on a Service Oriented Architecture *IEEE TRANSACTIONS ON INFORMATION TECHNOLOGY IN BIOMEDICINE, VOL. 11, NO. 6*

Keshavjee, K., Bosomworth, J., Copen, J., Lai, J., Kucukyazici, B., Lilani, R. and Holbrook, A.M. (2006) 'Best practices in EMR implementation: a systematic review', *AMIA* Annu Symp Proc pp. 982.

Klein KJ, and Sorra JS, (1996): The Academy of Management Review, Vol. 21, No. 4, pp. 055-1080 Published by: Academy of Management Stable URL: http://www.jstor.org/stable/259164 Accessed: 07/01/2011 22:41

Kuperman GJ, Gibson RF. (2003). Computer physician order entry: benefits, costs, and issues. *Ann Intern Med.*;139:31–9.

Lauer Tw, Joshi K And Browdy T,(2000). Use of the Equity Implementation Model to Review Clinical System Implementation Efforts: A Case Report *Journal of the American Medical Informatics Association* Volume 7 Number 1 0

Loomis GA, Ries JS, Saywell Jr RM, Thakker NR (2002). If electronic medical records are so great, why aren_t family physicians using them?. *J Fam Pract*;51(7):636–41.

Lorenzi NM, Riley RT: (1995) Organizational Aspects of Health Informatics: Managing Technological Change. *New York: Springer- Verlag*;

Lorenzi NM and Riley RT.(2000) Managing change: an overview. *J Am Med Inform Assoc* 7(2):116–24.

Lorenzi N M, Kouroubali A, Detmer DE, and Bloomrosen M, (2009). How to successfully select and implement electronic health records (EHR) in small ambulatory practice settings *BMC* Medical Informatics and Decision Making.

Ludwick, D. (2009) What is the effect of information and computing technology on healthcare?. Unpublished PhD thesis. University of Alberta

Ludwick1 DA, and Doucette1 J, (2009). Primary Care Physicians' Experience with ElectronicMedical Records: Barriers to Implementation in a Fee-for-Service Environment Hindawi Publishing Corporation International Journal of Telemedicine and Applications Volume 2009, Article ID 853524, 9 pages

Massaro TA (1993). Introducing physician order entry at a major academic medical center: I. Impact on organizational culture and behavior. *Acad Med*;68(1):20–5.

Mazzoleni, M.C., Baiardi, P., Giorgi, I., Franchi, G., Marconi, R. and Cortesi, M. (1996) 'Assessing users' satisfaction through perception of usefulness and ease of use in the daily interaction with a hospital information system', Proc *AMIA* Annu Fall Symp pp. 752-6.

Miller, R., Sim, I. and Newman, J. (2003) Electronic medical records: Lessons from small physician practices. California: *California Health Care Foundation*.

Miller RH, Sim I: (2004). Physicians' Use of Electronic Medical Records: Barriers and Solutions. *Health Aff* (*Millwood*), 23(2):116-26.

Miller RH, West C, Brown TM, Sim I, Ganchoff C. (2005). The value of electronic health records in solo or small group practices. Health Aff.;24:1127–37.

Mohd H & Mohamad SMS, (2005). Acceptance Model of Electronic Medical Record *Journal of Advancing Information* and Management Studies, 2(1). Mount CD, Kelman CW, Smith LR and Douglas RM (2000) An integrated electronic health record and information system for Australia? <u>eMJA The Medical Journal of Australia</u>; 172: 25-27

Nanji, Cina J, Patel N, Churchill W, Gandhi TK, Poon EG, (2009)Overcoming Barriers to the Implementation of a Pharmacy Bar Code Scanning System for Medication Dispensing: A Case Study *JAMIA* Vol 16, issue 5

Nikula, Rolf E (.1999)Organizational and Technological Insight as important factors for successful Implementation of IT *AMIA*, Inc 1091-8280/99/\$5.00.

Nøhr C,and, Andersen SK, Vingtoft S, Bernstein K, Bruun-Rasmussen M, (2005). Development, implementation and diffusion of EHR systems in Denmark International *Journal of Medical Informatics* 74, 229— 234

Northwest Health Foundation (2001) Community Health Centres and Electronic Health Records: issues and Challenges and opportunities.

Peters RM Jr, Kibbe DC, Sullivan T, Tessier C, Zuckerman A. A (2005) rebuttal to Wes Rishel's Gartner Report 'Two Versions of Continuity of Care Record Offer Different Approaches to Interoperability'— and a proposal for rapid progress on interoperability.

http://www.centerforhit.org/online/etc/media lib/chit/documents/proj-ctr/rebuttal-wesrishel-

rep.Par.0001.File.tmp/chit CCRCDARebutt al.pdf last accessed 9th jan 2011

Pizziferria L, Kittlera AF, Volka LA, Honourb MM, Guptaa S, Wanga S, Wanga T, Lippincotta M, Qi Lia, Batesa DW, (2005). Primary care physician time utilization before and after implementation of an electronic health record: A time-motion study *Journal of Biomedical Informatics* 38 176–188

POISSANT L, PEREIRA J, TAMBLYN R, KAWASUMI Y, (2005). The Impact of Electronic Health Records on Time Efficiency of Physicians and Nurses: A Systematic Review.

Journal of the American Medical

Journal of the American Medical Informatics Association Volume 12 Number 5.

Robey D, (1979) User Attitudes and Management Information System Use. The Academy of Management Journal, Vol. 22, No. 3 (Sep., 1979), pp. 527-538 Published by: Academy of Management Stable URL: http://www.jstor.org/stable/255742. Accessed: 08/01/2011 07:18

Sánchez, J.L., Savin, S. and Vasileva, V. (2005) Key success factors in implementing electronic medical records in University Hospital of Rennes. EUROPHAMILI / AESCULAPIUS Professional Study. Available at:

http://www.europhamili.org/protect/media/2 7.pdf (Accessed 20/01/2010).

Schmitt KF and Wofford DA. (2002). Financial analysis projects clear returns from electronic medical records. *Healthcare Finan Manag*.56:52–7.

Sarkera S and Leeb AS, (2003). Using a case study to test the role of three key

social enablers in ERP implementation Information & Management 40 (2003) 813–829

164, USA Department of Information Systems, School of Business, Virginia Commonwealth University, Richmond, VA 23284-4000, USA

Scott, J.T., Rundall, T.G., Vogt, T.M. and Hsu, J. (2005) 'Kaiser Permanente's experience of implementing an electronic medical record: a qualitative study', *British Medical Journal* 331(7528), pp. 1313-1316.

Singleton P, Pagliari C, and Detmer DE, (2007). CRITICAL ISSUES FOR ELECTRONIC HEALTH RECORDS. The Nuffield Trust for research and policy studies in health sevices

Singarella, T. (1995) 'Organizational aspects of health informatics - managing technological-change - lorenzi,nm, riley,rt', *Bulletin of the Medical Library Association* 83(3), pp. 372-374.

Stewart M, Brown JB, Harris SB, Thind A and Reid GG, (2006).DELPHI (Delivering Primary Healthcare Information) Project - Challenges and Solutions in Electronic Health Record Implementation and Adoption. THAMES VALLEY FAMILY PRACTICE RESEARCH UNIT Report to the Primary Health Care Team. Ministry of Health and Long-Term Care

Struder M, (2005). The effect of organizational factor on the effectiveness of EMR system implementation. What have we learned? Electronic Health care 4(2): 92-98.

Swanson, T., Dostal, J., Eichhorst, B., Jernigan, C., Knox, M. and Roper, K. (1997) 'Recent implementations of electronic medical records in four family practice residency programs', *Academic Medicine* 72(7), pp. 607-612.

Talmon JL, (2006). Evaluation and implementation: A call for action.IMIA and Schattauer GmbH IMIA *Yearbook of Medical Informatics*.

Terry AL, Thorpe CF, Giles G, Brown JB, Harris SB, Reid GJ, Thind A and Stewart M. (2008) Implementing electronic health records. Key factors in primary care Canadian Family Physician Vol 54

US Department of Health and Human Services: Development and Adoption of a National Health Information Network(NHIN) Request for Information, Jan 28, 2005, p. 2. Available from: http://www.hhs.gov/healthit/rfi.html Accessed 9th January 2011.

VAN DER MEIJDEN MJ, TANGE H. J., TROOST J., HASMAN A. (2003). Determinants of Success of Inpatient Clinical Information Systems: A Literature Review *Journal of the American Medical Informatics Association* Volume 10 Number 3.

Waegemann PC, (2003). Healthcare Informatics Online EHR vs. CPR vs. EMR

Whatever you call it, the vision is of superior care through uniform, accessible health records.

- Healthcare Informatics accessed 8th Jan, 2011.ate

Wager, K.A., Lee, F.W., White, A.W., Ward, D.M. and Ornstein, S.M. (2000) Impact of an electronic medical record

system on community-based primary care practices', *J Am Board Fam* Pract 13(5), pp. 338-48.

Wiener C, Fagerhaugh S: (1985) Social organization of medical work. Chicago, University of Chicago Press.

Wyatt JC. (1995). Hospital information management: the need for clinical leadership. BMJ;311:175–80.

